
SOME POUND EACH

AL-BERTA GIANI U. S. Potlonida Peach MERICAN MERICAN Peach FRUIT (SPRE)WER

1946





THE McCormick-Deering Orchard tractor! Here's a tractor that's built for your orchard work—designed for the special kind of power you need.

From the power plant to the streamlined shielding, McCormick-Deering Orchard tractors are ideally suited to fruit growers' requirements. Powered by the same basic engine as the dependable, performance-proven Farmall H power plant, these tractors give you real operating efficiency. The five forward-speed transmission which permits road speeds up to 15 miles per hour, gives you greater flexibility of operation. The same tractor powers your tillage work and your

hauling.

Besides these features, McCormick-Deering Orchard tractors give you great maneuverability. Differential steering brakes and extremely short turning-radius get you in and out of tight places between the trees. And the streamlined shielding protects low-hanging branches and fruit and young trees from damage.

Your International Harvester dealer will be glad to show you why your orchard power should be a McCormick-Deering Orchard tractor. Stop in and see him at your first chance.

INTERNATIONAL HARVESTER COMPANY

180 North Michigan Avenue




Chicago 1, Illinois

Product of

INTERNATIONAL HARVESTER

ОСТО



During the 1946 growing season, DDT proved its effectiveness for many agricultural uses. On fruits and vegetables it controlled a wide range of insects.

In orchards, no insecticide has ever proved as effective as DDT for the control of codling moth. Fruit growers using DEENATE DDT, made by Du Pont, have reported unusual results, many of them obtaining control with as few as two or three cover sprays.

On potatoes, Du Pont DEENATE DDT has given equally outstanding control of all common insect pests. Growers have also used DEENATE DDT with ZERLATE, a new organic fungicide,

and Copper-A, a fixed copper fungicide. These combinations gave them control of both insects and disease.

If you yourself didn't use DEENATE DDT in your control program for 1946, we suggest you talk to neighbors who did or contact your nearest Du Pont Dealer. We'll also send you more information about use of DEENATE DDT in your orchard if you'll just write to E. I. du Pont de Nemours & Co. (Inc.), Grasselli Chemicals Dept., at one of these addresses: Wilmington 98, Delaware; El Monte, California; Taylor Way & Lincoln Ave., Tacoma, Washington.

DU PONT PEST CONTROL PRODUCTS PRODU

FOR THE HARVEST OF BETTER CROPS

INSECTICIDES

DEENATE* DDT
GRASSELLI* Lead Arsenate
NUREXFORM* Lead Arsenate
Basic Lead Arsenate
Calcium Arsenate
Paris Green
Oil Sprays

FUNGICIDES

COPPER-A Compound

ZERLATE* / New Organic FERMATE* / Fungicides SULFORON* / Wettable SULFORON X* / Sulfurs Copper Sulfate (monohydrated)

drated)
Copper Sulfate (spray types)
Bordeaux Mixture
Lime Sulfur

Flotation Sulfur Paste

WEED KILLERS

2, 4-D WEED KILLER AMMATE* Weed Killer

OTHER MATERIALS

Du Pont Spreader-Sticker Special Dust Mixtures KRENITE* Dinitro Spray

* Reg. Trade Mark of E. I. du Pont de Nemours & Co. (Inc.)

uverability.

emely short

tight places

ed shielding

fruit and

ler will be

wer should

actor. Stop

GROWER





plest Pump

only 1/2 to 1/3 as many moving parts. No wear on pump cylinders.

Complete Lubrication of all moving parts, including the plungers.

No Bearing Troublesnothing but roller bearings on a "Friend" pump.

"Instant-Clean" Valves, on threadless seats - just loosen one hex-head screw.

No Leaky Packing; adjusting screw keeps it tight, without repacking the pump.

These 5 features mean better performance. Thousands of "Friend" owners tell you: "Have used several makes of sprayers, and the 'Friend' has given by far the steadiest service and least trouble."

Inquire of "Friend" owners in your vicinity-and compare spray pumps for yourself.

FRIEND MANUFACTURING CO., Gasport, N. Y.

"Friend" Sprayers are built in all chassis styles, in a complete range of sizes. Pressures up to 1,000 lb.

Sizers and Cleaners for every need-2 complete line.



Dusters with the reliability of "Friend" sprayers.



Easiest to Maintain in Working Order --

OCTOBER 1946 VOL. 67 CONTENTS Cover-USDA photo by Ackerman. Letters to the Editor The Fruit Garden By H. B. Tukey Planting Trends in Washington By John C. Snyder What Ohio Growers Are Planting 9 By Frank H. Beach Rootstock Developments 10 By E. F. Savage, W. J. Welday, D. B. Perrine, J. A. McClintock To Divine The Future 14 Plan Your Site By Jonas Howard 20 State News Ramblings of a Horticulturist 28 30 Editorial Page AMERICAN FRUIT GROWER AMERICAN FRUIT GROWER PUBLISHING CO. E. G. K. MEISTER Publisher Editorial Staff J. H. GOL'RLEY LOUIS E. CORSI ELDON S. BANTA EDWARD L. MEISTER



FEWER HANDS ... FASTER HANDLING

By obta

I am

weet fr

haw, the

also kno

berry, an

Howe

these pla

anyone v

R.F.D.

Corydon

Maybe

Arnett in

It is a g

our read the fruit.

More /

Dear Sin

The "j

13 in the

FRUIT G

than the

The pe

it is a si

es long a

ong-stall

up to 6

lly they

but may r to dark

seedless.

and the v

and has a In the Ar

popular, markets.

at altitude

feet, and

ome from

lowever,

tempera uttings

when avai

In gene

likely to t

U.S.D.A.

Div. of I

Introduc

Thank y acts abou

fruit, the ers are as

we.-Ed. OCTOBI

all see

n a sco by this di

Stevedore Jr. Power Belt Conveyor makes produce handling easy and rapid. It takes the grunt and fatigue out of lifting in loading, stacking and elevating operations. It gets your produce to the consumer faster and in better condition . . . will less manpower expended.

Lightweight and easy to handle, Stevedore Jr. can be moved about to fit changing needs. Fully ediustable from 18" level to a delivery height of 4" it lifts a 225 pound distributed load at the rate of 50" per minute. Stevedore Jr. plugs in on any standard 110 volt lighting circuit to make light work out of handling your boxes, baskets, crafts or bags of produce.

Write for detailed information on how you can use fewer hands and get faster handling. Deat delay, write today!

Offices in Principal Cities The Rapids-Standard Company, Inc. 364 Peoples Natl. Bank Bldg. Grand Rapids 2, Michigan



Write today

for your new free booklet describing Es-Min-El, the soil mineralizer that makes it possible for you to grow quality fruits and vegetables! Write us now!

TENNESSEE CORPORATION

DEPT. AFG. ATLANTA, GA.

ANDLING

on how you can handling. Dan't

Cities ompany, Inc. k Bldg. higan

he soil it posquality Write

RATION , GA.

OCTOBER, 1946 GROWER

ETTERS TO THE EDITOR

Collects Wild Edible Fruit

As a hobby, I collect our wild edible it. After studying the possibilities I tend to select some for improving or hridization. Possibly you have other states interested in our native fruits. I ald like to correspond with such readers. obtaining or exchanging plants with interested persons, I hope to build up a collection of select strains.

I am especially interested now in the sweet fruited Viburnums, nannyberry, black haw, the dryland blueberry commonly alled "low huckleberry", the serviceberry also known as sarviceberry, shadbush, juneberry, and mayhaw.

However, my interests are not limited to these plants and I will welcome a letter from anyone with a promising wild fruit.

R.F.D. No. 2 Corydon, Ky.

Malcolm Arnett

Maybe some of our readers can help Mr. Arnett in his search for wild native varieties. li is a good hobby, and many others among our readers, we feel sure, are interested in the fruit.—Ed.

More About the Jamberry

The "jamberry" discussed briefly on page The "jamberry" discussed briefly on page is in the August number of the American Fourt Grower, appears to be none other than the pepino (Solanum muricatum Ait.) of the Andean region of South America.

The pepino has been grown experimentally in California for many years, and more m a score of introductions have been made by this division, chiefly from South America. It is a shrubby perennial 2 to 3 feet high, with oblong-lanceolate leaflets about 3 inches long and bright blue flowers, resembling those of the potato, up to 3/4 inch across, in long-stalked clusters. The edible fruits are up to 6 inches in length, and are ovoid or round, or even long and slender. Usually they are yellow streaked with purple, but may range from creamy yellow or green to dark purple. The fruits are generally sedless, although sometimes they contain small seeds similar to those of the tomato, and the very juicy, aromatic flesh is crisp and has a pleasant, refreshing subacid taste. In the Andean countries the fruits are very popular, and are sold everywhere in the markets. The pepino is native to the Andes at altitudes ranging from 4000 feet to 8000 feet, and it is said to be able to withstand some frost. One report from California, however, states that plants were injured by a temperature of 26° F. Propagation is by cuttings of growing shoots, or by seeds then available.

In general, plants native to the highlands if tropical and subtropical regions are not fikely to thrive in most parts of the United

US.D.A. Agr. Res. Adm. P. G. Russell Div. of Plant Expl. Assoc. Botanist and Introduction.

Thank you, Mr. Russell, for the scientific about this interesting South American fruit, the jamberry. We are sure our readm are as interested in your letter as we

Tagging Suggestion

Gentlemen:

Here is a little suggestion for the amateur or professional fruit grower. In budding and grafting trees attach an aluminum chicken leg band on each and check the numbers. You will always find the variety as the aluminum will last.

Chicora, Penna.

H. L. Bollhorst

Vine Stored Grapes

Grapes can be conditioned and stored on the vines to remain in good condition for six weeks or over, after they ripen.

In 1945 the fruit of the Champanel variety had ripened on the vine to full color and flavor by July 5th. On that date all of the branches on one vine were shortened to within two leaves or buds in front of the fruit clusters. The result: those clusters remained without further development or deterioration until August 20th-over six weeks after the pruning.

In this year, 1946, on the same vine that process was repeated by pruning July 8th.
The result: the grapes remained in good condition until August 23rd, or 46 days after

the pruning.

The Champanel is very acid until really ripe, which is a few days after it colors black. It then holds a delightful flavor. So it is important that this variety becomes full colored and attains full flavor before the described pruning is employed. The same procedure would probably be adaptable to many other varieties of grapes. 1719 Leo Hall St.

San Antonio 1, Tex.

Chas. F. Ward

Fire Blight

Dear Sir:

During the past two or three years a discase or fungi has made its appearance in this district, which the local horticulturists call fire blight. They claim that the only remedy is severe pruning, which is not very successful, since the trees become reinfected, apparently from the trees in the neighborhood. neighborhood.

If you have any information on the control of this disease, I would be very grateful if you would print it in your magazine. So. Edmonton, Alberta M. Reid

Fire blight is a difficult bacterial disease to control. Cutting out of infected parts is about the only control measure known. The parts must be burned, and the cutting tools disinfected after every cut to prevent reinfection. A can of formaldehyde can be carried for this purpose.

I don't know whether you are referring to apples or pears—both diseases are very much alike, and so are the control measures. The pear is very susceptible to fire blight, and the best method to overcome it is to plant resistant stock. The Old Home Stock is about the most resistant.

Grow the trees slowly so the wood is hard. Use little, if any, nitrogen fertilizer, or manure, or even mulch. When the trees look a bit yellow, then add moderate amounts of nitrogen.—Ed.

ARE THESE THE RESULTS YOU WANT FROM A **PLANT FOOD?**

Higher quality? Larger yields? Earlier maturity? Improved color? Healthier trees?

Then Feed VIGORO

complete, balanced plant food!

Here's why...

Vigoro, a scientifically made plant food, is the result of years of laboratory research. Growers who use Vigoro know it provides a balanced supply of food elements trees need to be healthy . . . to grow finer, larger fruit.

Regardless of whatever plant food you are now using, arrange to try VIGORO, complete, balanced plant food. Discover for yourself how Vigoro helps make fruit growing more profitable. Then you'll understand why so many fruit growers are switching to Vigoro.

SWIFT & COMPANY Plant Food Division

> U.S. Yards Chicago 9, Illinois





Greatest Advancement in Power Farming Since Firestone Put the Farm on Rubber

HE

chard and pro

a time

nen we

ions fo

while st hiry c

roved

terage,

ell de

kept the

ometin

But the

wchard

monly

nearby

of fruit

and are

omethi

way to

the farm

o prop

mlike t


Such upies a in qual

ange of t minim ag of po

warf to sed this as a pla There

OCTOB

Yet tl



In Europe, gardening takes on formal and elaborate proportions like this peach tree trained against a wall.

THE FRUIT GARDEN

By H. B. TUKEY Michigan State Collège

HE old-fashioned home fruit orchard has practically disappeared, and properly so. It served a need at a time when all over the country men were testing varieties and locations for commercial fruit growing while still depending on wheat, corn, dairy cattle, and livestock for the main income. Some of the important fruit areas of the country were first proved by the home orchard. In a time when rapid transportation, storage, and distribution were not yet well developed, the home orchard kept the family in fruit that it would otherwise not have had, besides sometimes adding a small income.

But those days are past. The several acres devoted to the home fruit orchard are, for the most part, commonly neglected, are a menace to marby orchards, provide a deluge of fruit at one time and none another, and are generally not satisfactory.

Yet the farm without fruit misses something. There should be some way to increase the use of fruit on the farm—even on the fruit farm. And to this end the writer should like to propose the "fruit garden," not make the vegetable garden in general outline, plan and thinking.

Such a garden is intensive, it occupies a limited area, it specializes on quality and diversity and wide range of usefulness, at the same time it minimizes neglect and the harboring of pests. It emphasizes the small truits and small trees — perhaps dwarf trees. Europeans have long used this type garden successfully. It has a place, too, in America.

There will be those who will object

to any fruit on the farm, saying that the commercial fruit grower can provide enough. But this view is open to question. The best advertisement for a strawberry, a raspberry, or a peach is a good strawberry, a good raspberry, or a good peach. Too many families are unfamiliar with



Van Buren—one of the new, early grapes suitable for the home garden.

north temperate fruits. They need to have fresh fruits close at hand, get used to them, and ask for more.

Every fruit garden, like every flower garden and every vegetable garden, will vary with the likes and dislikes of the planter. There will be those who seek a dependable supply of fruit, even though mediocre in quality, at small effort, and others who prefer the choice flavors of the Fairfax strawberry, the McLaughlin

plum, and the Macoun apple. The writer would leave the principal supply of a standardized article to the fruit grower and would prefer in the fruit garden the supplemental interests of quality, size, season, shape, color, aroma, and flavor that the fruit garden alone can supply.

Unlike the fruit grower, the planter of a fruit garden has little choice of soil and site. If he does, he should select a well-drained slope, perhaps protected by buildings or a windbreak. It is common knowledge that trees near the protection of buildings often escape a spring frost. If the soil is heavy and inclined to be wet, plums and pears may succeed, whereas cherries will fail. Peaches prefer a light soil.

The home planter should be careful not to overdo. An area 100 x 100 feet sounds small, but it will do. The strawberry will receive first consideration—not too many, but an assortment perhaps starting with Premier, followed by Fairfax and ending with Catskill and the ever-bearing Mastodon and Gem. For freezing, Marshall is good. Twenty-five feet of four varieties each will produce a lot of berries.

The red raspberry will come next in interest, beginning with June, and following with Cuthbert, Marcy, Taylor, and the fall-bearing Indian Summer. A dozen plants of each is enough. For those who like the black raspberry, Plum Farmer is good. For those who like the purple raspberry, Sodus is best. The blackberries and dewberries had best be left out unless one has the time, space, and patience to wrestle with them—excellent though the fruit may be. For the currant, try Red Lake. For the gooseberry, try Poorman.

Grapes require a trellis, and for this reason are ruled out by some. Yet they may be grown against a building or over an arbor, and a trellis is not half as difficult as it sounds. A single vine each of the proper assortment will give much

(Continued on page 21)



A small spray rig that would be adequate for the use of the home fruit gardener. Easily handled by one man.

er

GROWE



PLANTING TRENDS IN WASHINGTON

By JOHN C. SNYDER WASHINGTON STATE COLLEGE

NORTHWEST fruit growers were not in the business very long before they saw the advantage of growing varieties that can be grown especially well in this area. As in other areas, growers here started out with almost every variety under the sun. In the early days it was not uncommon, for example, to find as many as 40 varieties of apples in one orchard. Today there are many growers who have as few as four.

The elimination of undesirable varieties was probably more relentless with apples than with most other fruits. The number was reduced from about 50 to 6 or 8 per orchard. This does not mean that there were never more than 50 varieties grown commercially in the area; on the contrary, there probably were rhore nearly 150. It may be surprising to know that even today at least 43 varieties are being grown here commercially.

Apples

A recent survey including a good average cross section of apple growers indicates that Delicious, Winesap, Starking, Rome, Jonathan, Golden Delicious and Richared in the order named are the predominating varieties. This survey reveals some interesting information about future plantings also. Of the 33 Delicious growers reporting, only two would discard Delicious and these would

replace it with Starking. Furthermore, there are as many growers increasing their Delicious plantings as are decreasing them. It would seem, therefore, that in the minds of growers at the present time Delicious is scarcely holding its own.

We have quite another story with Starking as shown by the fact that of 31 Starking growers, 28 would increase their acreage substantially, some going as high as 100 per cent. With Richared, on the other hand, there is a tendency to discard them. With Shotwell Delicious there is a tendency to increase. It is clear that

the Delicious picture is shifting in the direction of red strains with greatest emphasis on Starking.

With Golden Delicious the tendency to increase is almost as strong as with Starking. There is also tendency to increase Winesap acreage-some growers indicating as high as 50 per cent. Rome, on the other hand, is scarcely holding its own. Those who are discarding it outweigh those who are increasing their acreage. However, with red sports there is a tendency to increase the acreage. In the case of Jonathan the tendency to decrease outweighs the tendency to increase. This does not give the complete Jonathan picture inasmuch as most Blackjon growers plan to increase their plantings of this variety.

Stayman has almost completely gone out, as indicated by the fact that 10 growers would discard it to one that would increase it. With Yellow Newton and with Yellow Transparent, the situation is different. With these there is a slight tendency to increase.

While growers differ in their opinions about planting the abovementioned varieties they unanimously favor the elimination of Arkansas, Baldwin, Ben Davis, Spitzenburg, Grimes Golden, King David, White Pearmain, and Winter Banana. It is clearly evident that the process of reducing the number of varieties is still in operation.

Peaches

Approximately 30 varieties of peaches are grown commercially in the State of Washington, as revealed by a survey including a good cross section of growers in that area. Elberta is the predominating variety and J. H. Hale is next on the list. Others in the order of their importance on an acreage basis are Golden

(Continued on page 16)

VIRGINIA PLANTINGS

VIRGINIA is not planting many apples—perhaps not as many as she should. Old orchards are going out and a great many of what might be termed as the middle aged orchards are declining. That is, they are in the hands of just average growers. Of course, the good growers are keeping their orchards in tip-top shape, even at old age. But the run-of-mine orchards are slipping, getting just enough care to keep them functioning, but too often without a profit. The orchard that makes money in this state is the one that gets all the care it needs. It's kept in tip-top shape.

Fortunately, what planting is being done is mostly by men who have the best orchards. The mediocre growers are not adding much to their acreages. Such growers as Senator Byrd and many others around the State are planting largely the Red Sport varieties; Stayman, Delicious, some Golden Delicious, some Jonathan, in many a few Red Romes, right many Red Yorks, and of course, some old-time Winesaps in the Piedmont. They're sticking pretty close to the commercial list.

Now is really the time for the better class growers to plant in Virginia, but for fear of starting a planting boom which would attract a lot of speculators to the orchard business, we're keeping rather quiet about planting; perhaps more than we should.—
W. S. Campfield, Sec'y, Virginia State Horticultural Society.

Grimes McInto Wealth Yellow

> nod fo frosts a

It is

Ohio tl

fruit g

get an

in the

ice, Oh

a sam

tions :

very g

grower

portan

areas

Oho is

Ohio

southe

mercia

tral ar

spot in

Retu

comme

prefere

ngs li

is as f

Rome

Stayma

Delicio

lonath

Baldwi

Golden

Cortlan

shifting in rains with rking. is the tenst as strong e is also a nesap acrelicating as me, on the holding its scarding it increasing , with red to increase of Jonathan outweighs This does nathan pic-Blackjon their plant-

by the fact iscard it to e it. With th Yellow n is differis a slight in their the aboveunanimousf Arkansas, pitzenburg, vid, White

mana. It is

process of

varieties is

completely

arieties of nercially in as revealed good cross t area. Eling variety on the list. heir imporare Golden

rould. Old the middle rowers. Of at old age, m functionstate is the

ch growers
Red Sport
nany a few
n the Pied-

he orchard e should.—

GROWER





Case photo

USDA photo by Ackerman

WHAT OHIO GROWERS ARE PLANTING

By FRANK H. BEACH OHIO STATE UNIVERSITY

WHAT varieties are commercial fruit growers in Ohio planting? To get an answer on this trend, my office in the Agricultural Extension Service, Ohio State University, conducted a sample survey of growers intentions and received returns from a very good sample of successful fruit growers, well distributed in the important commercial fruit growing areas of Ohio. The variety list in Oho is naturally quite long because Ohio is neither a northern or a southern state, and most of the commercial varieties grown in the Central and Northern states find some spot in Ohio where a favorable environment is secured.

Returns were summarized from 52 commercial apple growers. Their preference for varieties in new plantings listed by percentage preference is as follows:

24%
19
18
17
15
9
9
8
8.
7
5

It is only natural in a state like Ohio that Rome Beauty still gets the nod for first choice because spring frosts are the greatest limiting factor

in apple production over the state of Ohio, and Rome Beauty being a late, irregular bloomer comes through frosty spring weather better than any other single variety over a period of years. There is a downward trend with this variety on local markets because many consumers prefer the eating quality and cooking quality of several other varietes. However, when well grown and well handled, there is still a good demand for Rome Beauty, particularly in wholesale markets, and up to date the variety has been profitable and so it will be planted as long as it continues to be a profitable variety. It also tends to bear rather regular crops, since it has a habit of bearing a heavy percentage of a single crop both from terminal buds as well as from spur buds and often one crop will be predominately from spurs and the following year it will be predominately from terminal buds. A few commercial gowers in Ohio still prefer the old-type striped variety on sites and soils where they have secured very satisfactory fancy color and finish with it. However, for many average locations and decidedly measuring the choice of most fruit growers who want to plant Rome, a preference is indicated for one of the Red strains, with the Gallia Beauty, an Ohio strain, preferred. A number of other strains are being planted and it is not known at present which of the red strains

will actually be preferred over the long run. However there is a definite preference for one of the Red Romes in most of the new plantings.

Stayman Winesap is so well liked as a general purpose apple for late fall and winter trade, that it is being planted second to Rome, with a preference for red strains with Stamared best liked so far among the color sports. There would be even a greater tendency to plant more Stayman were it not for the fact that on many soils, particularly the shallower type soils in Central and Southern Ohio there has been too much of a tendency for growth cracks developing with this variety. In plantings where this has been a serious fault there is a decided preference for the Turley for an apple of this type. In spite of the fact that in both 1945 and 1946, two very early springs accompanied with serious frost damage, have reduced crops of Delicious, Ohio growers still feel that they want to take a chance with more Delicious, and it is third among apple varieties being considered for new plantings, with a decided preference for the color strains, such as Starking and Richared. Delicious is fussy as to its requirements on site and soil and does best on relatively high sites with splendid air drainage where frost hazards are minimized. Deep, fertile, well drained soils are producing best yields and quality.

Jonathan is especially liked in Central and North Central Ohio and does splendidly in the lakeshore area, particularly west of Cleveland, so ranks fourth in grower preference on new plantings. Very little difficulty has been experienced in growing good color on Jonathan, so there is relatively little interest in planting the color sports of this variety. However, there is a preference indicated by about 10 per cent of the growers for color strains such as Jonared and the Blackjon.

Baldwin has been losing ground (Continued on page 16)


ROOTSTOCK DEVELOPMENTS

TWO GROWERS AND TWO EXPERIMENT STATION WORKERS DISCUSS OUTSTANDING ROOTSTOCK DEVELOPMENTS

PEACHES AND GRAPES IN THE SOUTH

By E. F. SAVAGE

Georgia Agricultural Experiment Station



Peach growers in the South, where the soils are light textured, well aerated and deep, have long had a serious problem in root knot of peach which is caused by the nematode, Heterodera marionii (Cornu) Goodey. The seedling most commonly used by nurserymen as the understock is grown from seed of the so-called 'natural" peach of the southeastern mountain areas of the Carolinas and Tennessee. These seeds are small, are sold by the bushel, and consequently are very popular with nurserymen since comparatively large numbers of seedlings are obtained at low cost. This stock is a successful one, producing, insofar as known, uniform trees of excellent vigor in all areas of the South where the soil is not infested with nematode. During more recent years many nurserymen have planted seeds obtained from nearby canning plants to produce seedlings for use as understocks. They have turned more and more to this source because of the comparative scarcity of the Tennessee or Carolina "natural" seed. These seeds are usually from fruits of the Elberta variety. Heterogenity undoubtedly.exists in the seedlings thus obtained. However, insofar as known at present, there are far more important causes of tree variability than that produced by variation in the understock grown from peach seeds of the same variety. Since both of these

rootstocks are very susceptible to root knot, they should not be used on land where there is nematode infestation.

Fortunately, within the last fifteen years considerable work has been done by research workers in California, Georgia, and South Carolina on the testing of nematode resistant stocks which would be suitable for peaches. Of the many tested two are



Rome on Virginia Crab. Set Spring 1936

outstanding; namely, the Shalil (FPI 63850) and the Yunnan (FPI 55886). Both of these have remained practically free of nematode infestation when planted in infested soil. When used as understocks, both produce vigorous trees that produce good crops.

fruit 1

My fa

man a

tivities

unusua

as we

The c

been s

the my

of tho

walked

trees s

these :

while

to top

the lat

before

to be s

was re

which

genera

ticular

combin

ler, an

wester

trees c

grown

But it 1

ent da

picking

Ladder

not the

speed

airplan

the sea

less th

produce

y colo

The

OCTOB

In t

The Shalil rootstock was originally obtained from Kurram Valley, North

(Continued on page 23)

A GROWER SPEAKS

By W. J. WELDAY

HEN the crippling freeze of 1936 hit, we turned to the so called hardy stocks in earnest. Since from a previous experience we were pretty well grounded in the rudiments of top working, there was nothing to fear from the mechanical end of the undertaking.

Hardy stocks had established themselves for hardiness, including cold resistance, and limited use had been made of Virginia Crab to overcome the collar weakness of Grimes. The most striking evidence of their worth was the Campbell planting in Iowa 1893-94. Checks were made in 1934 and it was observed that the hardy stocks far outlived the others. For example, four per cent of Grimes on French Crabs were alive, while on Virginia Crab seventy-two per cent were alive. Altogether, experience indicated that the hardy stocks were outstanding in vigor, productiveness, disease resistance, and long life in the top worked variety.

Accordingly, we replanted about one fourth the orchard, setting Virginias and Hibernals directly in the row between the older trees, and in heavy sod. We used varieties in various combinations, using different aged trees, and some on hardy Baccata roots. We got some disastrous but

valuable experience. We found Virginia Crab not as well adapted to various varieties as Hibernal. We do not like Rome or Delicious on it, and of course, never Stayman. For one thing, it grows too fast, outgrowing the introduced variety, especially Wealthy. I have actually seen branches too small to bud one year that were too large the next. We do

(Continued on page 18)

Own root Rome. Set Fall 1936



AMERICAN FRUIT GROWER



Spring 1936

Shalil (FPI nnan (FPI ve remained tode infestanfested soil. cs, both proroduce good

as originally alley, North ie 23)

found Virpted to vari-We do not n it, and of For one outgrowing especially ually seen id one year ext. We do

III 1936

e 18)

GROWE






Fig. 2 (See text for explanation of photographs.)

ANOTHER CONFIRMS

By D. B. PERRINE

MY interest in under stocks for fruit trees started many years ago. My father who had been a nurseryman among his other horticultural activities, would point out to me the unusual stock and top combinations as we came upon them in the orchards. The curiosity thus aroused has not been satisfied as yet-too many of the mysteries remain unsolved. Most of those orchards through which we walked are now gone and younger trees stand in their stead. Some of these new trees were "home made" while others came from commercial nurseries. In the first case the stock to top relationship is known, while in the latter it is uncertain.

In the early days of orcharding, before insect and disease control had to be practiced, and while hand labor was relatively cheap, that under stock which produced the largest top was generally considered best for a particular variety. Notable of these combinations were Jonathan on Minkler, and Grimes Golden on Northwestern Greening, which produced trees comparable in size with those grown in more northern climates. But it became evident that under present day conditions, trees which require equipment for spraying and picking that looks like "Hook and Ladder Fire Company No. 1" were not the most desirable. Nor does the "speed squirter" or spraying from an airplane, solve the picking and prunning problems with such large trees. So the quest has altered slightly and the search is now for a sturdy tree of less than normal height which will produce large quantities of big, highly colored fruit annually.

The progress of knowledge on the under stock and top relationship is very slow because most growers plant only three or four orchards in a lifetime. Also, in many instances, only

the top is known, and ignorance multiplied even three or four times still gives ignorance. The problem is still further complicated by the fact that an under stock which does exceedingly well in one climate or soil, may do very poorly in another, so that success or failure in one instance may not mean universality of application. Investigators have not determined as yet just how much of a given result can be traced to under stock, and what portion to the top. Very likely, the ratio is not a constant value, but probably varies with the variety of the top

(Continued on page 18)



eration. Should

STURDY UNDERSTOCKS IN THE NORTH

By J. A. McCLINTOCK **Purdue University**

AS the title over these articles suggests, progress is being made in the development of rootstock. Slowly but surely through the collaboration and cooperation of numerous workers in all parts of the country, superior rootstocks are being evolved. Primarily, tree fruit stocks are considered of general public interest. But as most tree fruits belong to the rose family it will not be out of order to record rose rootstock developments also.

The late Professor Tom Maney developed a superior stock for garden roses, in the vigorous Multiflora-Blanda hybrid rose. The fact that this hybrid has shown resistance to root-knot nematode under field conditions in Texas, increases its possibilities. Tests of this hybrid rose stock in nematode infested soil in greenhouses at Purdue substantiate the Texas findings.

Research at Purdue sponsored by

the Society of American Florists indicated the Western grown Manetti rose stocks were not a serious source of rose virus contamination as had been suspected. A thornless strain of multiflora has been selected to facilitate budding for virus indexing.

Cold hardiness of small seedling peaches has frequently been observed in their resistance to low temperature. They produce fruit at times when adjoining cultivated varieties are injured. The writer contends there is need for continued research for hardy peach stocks such as the New Jersey Station is conducting in the East and the writer and others are pursuing in the Middle West.

As a result of inspecting commercial cherry growing sections of Wisconsin and Michigan, this summer, the writer observed that both sour and sweet varieties of cherries on Ma-

(Continued on page 24)

TO DIVINE THE FUTURE ...

STUDY the past if you would divine the future was one of the many wise things said by Confucius. In that vein, the AMERICAN FRUIT GROWER gives the NATIONWIDE FRUITS space this month to a presentation of the surveys conducted from 1938 to 1940 to determine the most popular varieties then being planted. Each year a different fruit was surveyed.

With interest in planting now at a seasonal high, growers are thinking of the best varieties to assure the greatest profits when the orchards now planted come into bearing. This presentation, we feel, will be of real value in determining what is coming into bearing in the near future.

It was thought that this would be of more help to the grower than a survey conducted at this time. Such a survey, we feel, would not present a true picture of the planting situation because of the shortage of nursery stock and the resultant unsettled state of planting.

However, it is planned that a survey will be made in ten years from the date of the original survey of each type of fruit, beginning in 1948 with apples. This ten year lapse should give time for changes in variety trends to show.—Editor.

APPLES

N the 1938 apple survey, Yellow Transparent was outstanding among early varieties, being most popular in all but the North Central states where Duchess led; and in California, where Red Astrachan led.

In the Northeast, Early McIntosh was runner-up to the favorite, Yellow Transparent.

In the South, Red June was second, followed by Red Astrachan and Duchess

In the Midwest, the order after Yellow Transparent was Duchess, Red Astrachan, Lodi, Red June with Melba in sixth place. While not an early apple section, the Northwest reported Yellow Transparent ahead by more than two to one, with Red June, Red Astrachan, Duchess and Early McIntosh ranking in the order named.

Reflecting sectional planting in a more definite pattern, the midseason variety findings show McIntosh the most popular apple. Macs led in the Northeast, Northwest and Midwest. Second most popular midseason apple was the Wealthy, since it ranked first in the North Central region, and second in the South, the Midwest, and Northwest, and third in the Northeast.


The Cortland, a comparative newcomer, ranked third, being particularly popular at the time of the survey in the Northeast, the Midwest and the North Central States.

In the midseason variety the rankings were, in order, McIntosh (first by a wide margin), Wealthy, Maiden Blush, Summer Rambo, Snow, Kendall, Gravenstein, Macoun, and Wolf River.

For the nation as a whole, the greatest interest probably centers on late apples. Delicious led the field by a two to one margin. It led in all sections but the North Central, where Northwest Greening held first place. Others were, in order, Jonathan, Stayman, Rome Beauty, Grimes Golden, Baldwin, Northern Spy, Winesap, York Imperial, Rhode Island Greening, Yellow Newton, Northwestern Greening, Winter Banana, Yellow Bellflower, Wagener, Ben Davis, Tompkins King, Fall Pippin, and Esopus Spitzenburg.

This article cannot explain why certain varieties are more popular than others in some areas, nor can it explain why some varieties have become less popular than others. General trends may be noted, and helped growers at the time in their planting selections. The survey still is of value for showing what is in the ground now, and as an index of the trend in variety selection.

MacIntosh apple



PEACHES

fleshe

neare

leader

Fishe

umph

tion i

Top

4 to

freest

follow

Crawf

Drop,

Crosb

berta

tional

tered

North

Krumi

late !

North

Amo

Mikad

to one

order,

Marige

and Bi

ties ar

Califor

Alth

white-

rieties

and No

classed

heavy

Belle :

freesto

were

Combe

Hale, a

showed

tional p

Greens

Early Midwes

States,

Alexan of vari

same a

order, t

flower;

Greensl

Some

concent

OCTO

May.

The

The Elberta, chance seedling of the Chinese Cling peach, was the nation's favorite variety in the survey conducted in 1939. Planted by Samuel Rumph in Marshallville, Georgia, late in the 1870 growing season, it is known in every peach section of the United States.

Second in popularity was the Halehaven, at the time just ten years out of a cross between J. H. Hale and South Haven. The Halehaven is the result of controlled scientific breeding.

Other varieties which make up the 12 yellow-fleshed, midseason freestones that led in the survey are J. H. Hale, Golden Jubilee, South Haven, Early Elberta, Hardee, Redelberta, Shippers Late Red, Early Crawford, Rio Oso Gem and Gage, in the order named.

Elberta was the leader sectionally among mid-season semi-free and freestone yellow-fleshed varieties, except in the Northwest, where Redelberta led, and California, where Rio Oso Gem was first.

Golden Jubilee had the greatest favor in the Northwest, where it was second, but it ranked among the leaders in all sections, dropping as low as seventh only in California.


In the early variety of yellow-


Hale peach



AMERICAN FRUIT GROWER







Elberta peach

fleshed freestones, Rochester was 10 times as popular nationally as its nearest competitor, Oriole. Other leaders, in order, in this class, were Fisher, St. John, Dewey and Triumph. Rochester led in every section in this class.

seedling of

, was the na-

n the survey

Planted by

Iarshallville.

370 growing

every peach

as the Hale-

t ten years

J. H. Hale

Halehaven

ed scientific

make up the

eason free-

irvey are J.

ilee, South

ardee, Red-

Red, Early

and Gage,

sectionally

ni-free and

arieties, ex-

where Rednia, where

he greatest

here it was

among the

ropping as

of yellow-

GROWER

alifornia.

ates.

Topping its nearest contender by 4 to 1 among late, yellow-fleshed freestones Late Elberta headed a list followed by Krummel October, Late Crawford, Hal-Berta, Salberta, Gold Drop, Salwey, Augbert, Lemon Free, Crosby, Halate and Smock. Late Elberta carried its lead into the sectional breakdown, where it was bettered only by Late Crawford in the Northeast, and South, Salwey and Krummel October in California and Late Crawford and Salwey in the Northwest.

Among yellow-fleshed clingstones, Mikado (June Elberta) was a two to one favorite. Other leaders, in order, were Peaks, Palore, Arp, Marigold, Sellers, Phillips, Tuskena and Buttercup. Most of these varieties are planted in the South and in California.

Although Champion led among white-fleshed, freestone early varieties in all sections except the South and Northwest, Belle of Georgia outclassed it in national totals due to heavy southern plantings. After Belle and Champion, white-fleshed freestone varieties listed, in order, were Hiley, Carman, Delicious, Comberland, Alton, Radiance, White Hale, and Iron Mountain.

The white-fleshed clingstones showed the greatest variation in sectional planting for any of the groups. Greensboro led in the Northwest, Early Wheeler (Red Bird) in the Midwest, South and North Central States, Mayflower in California, and Alexander in the Northwest. Ratings of varieties in the South were the same as the national average. In order, they are Early Wheeler, Mayflower, Early Rose, Heath Cling, Greensboro, Uneeda and Alexander. Some Florida and Texas growers concentrated on Hart Cling and Best

STRAWBERRY RATINGS BASED ON **NURSERY SALES**

1940 Survey

NATIONAL

- 1. Blakemore (yellows resistant)
- 2. Missionary
- 3. Klondike
- 4. Howard 17 (Premier)
 5. Dunlap (Senator Dunlap)
- 6. Mastodon
- 7. Gem
- 8 Dorsett
- 9. Aroma 10. Catskill
- II. Fairfax

Early Crop Region (Fla., Ala., La., Miss., Tex.)

- I. Missionary
- 2. Klondike
- 3. Blakemore (old strain)

Second Early Crop Region (Ark., N. C., S. C., Tenn., Va., Calif.)


- Blakemore (yellows resistant)
- Missionary
- Klondike
- 4. Aroma 5. Champion Klondike
- 6. Blakemore (old strain)
- 7. Dorsett
- 8. Howard 17 (Premier)

Intermediate Crop Region (Delaware N. J., Md., Ky., Ind., Ill., Kans., Mo., Iowa, Okla., Calif.)


- Blakemore (yellows resistant)
- 2. Howard 17 (Premier)
- 3. Dorsett
- Catskill 5. Fairfax
- 6. Aroma 7. Chesapeake
- 8. Gem
- 9. Mastodon 10. Dunlap (Senator Dunlap)

Late Crop Region (N. Y., Pa., Ohio, Mich., Wis., Minn., Wash., Ore.)

- Dunlap (Senator Dunlap)
 Howard 17 (Premier)
- 3. Catskill
- 4. Dorsett
- 5. Gem
- 6. Mastodon
- Rockhill
- 8. Fairfax



Blakemore strawberries USDA photo from Cir. 93



Montmorency cherries

J. C. Allen photo

CHERRY RATINGS BASED ON NURSERY SALES

1940 Survey

SOUR CHERRIES-NATIONAL

- I. Montmorency 2. Early Richmond
- 3. English Morello
- 4. Richmorency

Pacific Coast Region

- Montmorency
 English Morello
- 3. Early Richmond

Great Lakes Region (N. Y., Ohio, Mich.)

- I. Montmorency
- 2. English Morello
- 3. Early Richmond
- 4. Richmorency
- 5. Giant Montmorency

SWEET CHERRIES-NATIONAL

- I. Black Tartarian
- 2. Napoleon
- 3. Windsor
- 4. Bing
- 5. Schmidt
- 6. Lambert
- 7. Governor Wood

Pacific Coast Region

- 1. Napoleon
- 2. Bing 3. Black Tartarian
- 4. Lambert
- 5. Black Republican

Great Lakes Region

- I. Windsor
- 2. Black Tartarian
- 3. Napoleon 4. Schmidt
- 5. Governor Wood
- 6. Bing 7. Lambert

DUKE CHERRIES—NATIONAL

- I. May Duke 2. Late Duke
- 3. Royal Duke
- Pacific Coast Region
- I. Late Duke
- 2. May Duke 3. Royal Duke

Michigan

- I. Late Duke
- 2. May Duke

New York

I. May Duke



PLAN YOUR SITE

Success or Failure of Orchard Depends on Choice of Site

By JONAS HOWARD

MUCH of the success and failure of any orchard is determined before it is planted—on the very day the site is chosen, and the varieties selected for planting.

Many of the reasons for crop failure are inherent in the physical characteristics of the orchard site. Failures due to frost caused by improper air or water drainage, poor soil or sub-soil, varieties unsuited to the soil and many similar reasons can often be avoided or eased by proper site selection.

Other factors assume equal importance with these growing conditions—the location of the market, methods of shipping, demand of local markets, availability of other markets for large crops-all of these things must be balanced with the growth factors, and a compromise reached that will place the orchard in what is the best overall position.

Generally, fruit should be grown in a fruit area—the many fruit counties in the states already successfully growing fruit.

This is a good idea from another standpoint; a grower benefits from close association with other growers,

and t

consid

forde

the cli

kept i frost

of the

bloom

spring

effecti

the lai

hills a

the la

temper

ward

to loc

with 1

moven

often 1

wate

win

and

Soi

and

reve

mit

D

W

Is

H

tion A Ani

cont A Oth

Is

statio

OCTO

Ma

Muc

Gen

The

Contact with other growers is a source of learning a great many things about the business of fruit growing. Fruit societies are common, markets are closer, and transportation is already pretty well established in these areas. Cooperative marketing is another benefit from association with other growers.

One of the first things to be decided is the condition of the soil and sub-soil. The subsoil is usually considered of more importance, because here the roots grow and burrow, reaching for the nutrients and minerals of growth.

The best soil is a porous one that permits easy burrowing of the roots, air circulation, and water movement. It is a good idea to take samples of the soil—about 5 or 6 feet deepover the area of the intended orchard, to make sure that the sub-soil is not rocky, or does not contain too many high deposits of clay that cause high water tables, drowning out the roots.

Soil should be tested, even if nearby orchards are successful, because peculiarities of soil deposit may make one location excellent, while the next one is ruined by high clay sub-surface hills.

The soil must also be well-supplied with the many nutrients essential to plant growth. Some of these can be added by fertilization. This is one of the factors that may be compromised with location as to market, and fruit growing area, if the soil is not completely without nutrients, and is not lost to erosion from starvation. An experienced grower, or the county agricultural agent would be the best helpers in deciding these important factors.

The physical nature of the siteits position relative to valleys, hills,

Planting on a slope for drainage of air and water. Photo from Caterpillar Tractor Co.





AMERICAN FRUIT GRO

uccessfully

om another mefits from er growers. owers is a reat many ss of fruit re common, transportatestablished we marketom associa-

to be dehe soil and sually conce, because ad burrow, s and min-

as one that f the roots, movement. samples of eet deeptended orhe sub-soil contain too that cause ing out the

yen if nearul, because posit may lent, while high clay

ell-supplied essential to ese can be his is one of comproto market, if the soil nutrients, from stargrower, or gent would iding these

the site lleys, hills,

Athel trees itrus grove.

GROWER

PLAN YOUR SITE

and bodies of water must be well-

The best water protection is afforded by a deep lake, which tempers the climate so that temperatures are kept up during the normal autumn frost times. Often the cooling effect of the lake in the spring retards the bloom long enough to avoid the early spring frosts.

Generally this frost protection is effective from 200 to 300 feet back off the lake, if the shore line rises. On hills around a lake, slopes away from the lake show less rainfall, and less temperature control than slopes toward the lake.

Much consideration must be given to locating the orchard in an area with proper drainage of air. The movement of air down a slope is often the cause of preventing frost.

However, pockets may form in low spots, or behind trees where frost strikes.

In an area of high winds, wind damage to trees, blossoms, and fruit must be guarded against. A windbreak row of trees planted on the side of the orchard facing the prevailing wind will often help solve the problem. Winds may also delay spraying for dangerously long times because of high winds, thus jeopardizing the crop.

These conditions are local, and the only good advice is to consult the local county agent, whose files contain the proper information for the area. He can say what the frost conditions are in your area—he can advise you how to plant best to avoid the frost injury often caused by location

SENATOR BYRD HOLDS ANNUAL PICNIC AGAIN

By Meador Wright



Senator Byrd with two guests from the U.S.D.A., Dr. Magness and Dr. Hough.

HE annual Byrd Picnic, which had become an institution in the Shenandoah apple district when the war interrupted, was held again this year after a five year lapse. Some 2,000 apple growers and friends of Senator Harry F. Byrd and his brother Tom attended. The picnic was held August 31 on the Rosemont orchard near Berryville, amid thousands of apple trees literally breaking under the weight of one of the best apple yields in years.

Blackman Moore, president of the Virginia Apple Commission, empowered by the present Virginia Legislature to levy a tax for advertising apples, explained the workings and ultimate aims of the legislation. The act levies a tax of one and one-fourth cents a bushel on apples packed within the state. To avoid being held unconstitutional, the Virginia tax is a franchise for the privelege of packing apples and must be paid by the packer, not the grower. The packer is required to keep accurate records of all apples packed. The report is due in July of each year with one-half the tax. The remainder is due on May

31 of the following year. Mr. Moore explained that while the tax paid by Virginia packers will naturally be used to advertise local apples the promoters of the legislation had a more far-sighted aim than improving the competitive position of Virginia apples. It is hoped, he said, that other states will pass similar legislation and the resulting campaign will tend to increase the national consumption of apples. He pointed out that today there are only one-half the apple trees of 25 years ago, whereas in other fruits, particularly citrus, bearing trees have increased. Since it takes close to 15 years before new plantings become a factor in increased production, apple growers have a long period of protection ahead. If total consumption can be increased by advertising while production is constant good prices are bound to prevail.

GRADE YOUR SITE-

ASK YOURSELF THESE QUESTIONS

Climate

Is the land high, providing good air drainage for frost prevention?
Is it near a large body of water, preferably on a North slope facing water?

Are hailstorms prevalent? Rainy bloom weather? Strong harvest winds?

What is the record of nearby orchards regarding late spring frosts and winter kill?

Soil

Is the soil deep, well-drained?

What is the history of the soil—has it been worked out, has it been well-managed?

What type of vegetation is now growing? Are poor land weeds like thistle and ragweed growing? Or rich land plants like clover and blue grass?

What do soil samples sent to the state experiment station for analysis reveal?

What is the PH of the soil (Acidity)? Is it high enough to permit the growing of a good cover crop?

Do adjacent orchards on similar soil thrive?

What is the soil type? Is it considered good for fruit growing? Is sufficient water available for filling spray tanks?

Market

How close is the site to a large market?

How close to a well-traveled highway for a roadside market?

Are several methods of transportation available to promote competition and reduce cost?

Are the roads to market good?

Animals, Diseases, and Insects

Will mice, rabbits, deer cause insurmountable problems?

Are there nearby abandoned orchards to cause difficulties in pest control?

Are nearby orchards affected with blight?

Other

Is labor available in the area?

Is there a well-established community life with good schools, churches, etc.?

What does your county agent say? What does the state experiment station say?

PLANTING TRENDS IN WASHINGTON

(Continued from page 8)

Jubilee, Early Elberta, Hale Haven, Candoka, Fay Elberta, July Elberta, Late Elberta, Early Crawford, Red Haven, Redelberta, Slappey and

Improved Early Elberta.

There is a definite tendency to increase Elberta and J. H. Hale plantings; and the tendency is stronger in the case of Elberta. There is a slight tendency to increase Golden Jubilee, but with Early Elberta it is 50-50 for and against. Halehaven and Candoka are definitely losing out-Halehaven with slight dissention but Candoka unanimously. With July Elberta and Red Haven, on the other hand, all indicated intentions of increasing. With Fay Elberta those who would increase it outnumbered those of the contrary opinion. The decision was against Early Crawford and Redelberta, with all agreeing that these should be dis-carded. The same opinion was expressed about Krummel, Late Crawford, Slappey, Triogem, Wahlbert, Rio Oso Gem, Sungold, Valiant, Fisher, Salway and Sunhigh also.

With peaches there seems to be a fairly clearcut tendency to extend the season with varieties of the Elberta type. In this endeavor greatest emphasis is being given to the forepart

of the season.

Peach planting has been very active during the past 4 or 5 years. Interest in processing freestone peaches in the Northwest, and the fact that considerable good peach land has been made available recently, account at least in part for the recent plantings.

Strawberry

In the case of strawberries we have almost a one-variety proposition. Marshall has long been and still is the predominating variety. Its popularity is now being threatened by yellows and some other troubles, however, Brightmore, while it has many faults, stood well above any other variety except Marshall in a recent survey.

Growers intending to increase plantings are looking mainly to Marshall with Brightmore, Redhart, Narcissa, Catskill, Rockhill and Gem receiving some consideration. The acreage has been increased approximately 50 per cent during the past three years.

Pears

Bartlett planting became fairly active prior to the war and has remained as much so since that time as available nursery stock permitted. Interest in planting Anjou became fairly firm within the past two years

and is still in that stage as much so as nursery stock will permit. The Anjou acreage has not been increased appreciably and probably will not be immediately.

Apricot

Apricot planting has been fairly active almost since the beginning of the war. Much of the land made vacant by the removal of apple trees previously has been planted to apricots. In addition to this land, considerable new land has been made available. The bulk of the new plantings have been of the Moorpark and Tilton varieties. The Riland was used in a few instances to supply the very early fresh market.

During the early part of the war interest in sweet cherries was rather inactive. Since that time as buying power increased they have been in great demand. Interest in planting followed immediately and has remained fairly active up to the present time. Plantings have consisted mainly of the Bing and Lambert varieties wth some of the Royal Ann being-included also.

Within the past year or two there has developed interest in the sour cherry industry. The total acreage is not great, but still enough to be of

some significance.

Raspberries

There has been a fairly active interest in planting raspberries. It is the red raspberry that is being considered. The acreage has probably increased 25 per cent during the past five years. Plantings have been primarily of the Washington variety which is very much like Cuthbert except that it is hardier and more resistant to raspberry mosaic.

WHAT OHIO GROWERS ARE PLANTING

(Continued from page 9)

for a generation in new plantings but it still ranks fifth because Cleveland is probably the best Baldwin market in the world and many plantings of Baldwin through northern and northeastern Ohio have been reasonably satisfactory after full bearing has been attained. You can get quite an argument among fruit growers over planting Baldwin. Considering its habit of coming into bearing very late in life, and often bearing irregularly, and oftentimes producing a heavy percentage of fruit showing "Baldwin Spot," it is really remarkable that it still attains this preference rating for new plantings. However, the new plantings will probably be mostly on sites and soils and in areas where past performance has indicated reasonably good success with Baldwin.

Golden Delicious is still increasing in importance, particularly since refrigerated farm storages have increased in number and better storage can be given this exacting variety. The higher sites, particularly in Central and Southern Ohio are growing the largest, best colored Golden Delicious, but here and there over the state it is doing very well and is now the preferred yellow variety for late fall and winter use. Its early bearing habit and productiveness as a young tree appeal to many growers in new

plantings.

Grimes Golden is still liked, especially in Central and Southern Ohio for the fall trade, but it has not done well as a cold storage variety, and is wanted in somewhat smaller volume than a few years ago. Southern

and Western markets take it best.

Ohio consumers are developing an appetite for a McIntosh type apple, and since Ohio is a little too far south to grow the top McIntosh that are produced in Northern Michigan, New York and New England, there is a tendency to make Cortland relatively more important in new plantings in Ohio than McIntosh, with the present sample trend indicating 9% Cortland and 8% McIntosh wanted in new plantings.

Wealthy has been productive and growers still like to plant a reasonable quantity of this variety with the trend increasing with the advent of stop-drop harvest sprays and better refrigerated farm storages to give a longer marketing season on this variety. Ohio is pretty far north to be important as an early apple state, but nevertheless a few yellow Transparent are wanted, chiefly because of the demand for a good sauce apple at this season of the year, and the survey indicated that 5% of the new plantings will be Yellow Transparent.

Peaches

A sample survey was returned by 34 commercial peach growers which indicated the following variety preference by percentage for new plantings in Ohio.

Elberta	
Hale Haven	19
Shippers Late Red (Big Red).	15
Golden Jubilee	14
I. H. Hale (Halberta)	14
South Haven (Sun-Glo)	12
Salberta	9
Early Halehaven (Early Haven) 9
Early Elberta	8
Belle of Georgia	8
Red Haven	

(Continued on page 22)

in planting and has reo the present nsisted mainpert varieties Ann being-in-

in the sour otal acreage ugh to be of

ly active inerries. It is s being conas probably ring the past ve been priton variety ke Cuthbert r and more osaic.

ce it best. eveloping an type apple, ttle too far cIntosh that n Michigan, gland, there ortland relanew plantntosh, with d indicating McIntosh


ductive and nt a reasonariety with the advent ys and betstorages to season on ty far north apple state, llow Transbecause of uce apple at d the survey new plantransparent.

returned by wers which ariety prefnew plant-

Red)....15 Haven) 9

GROWER





The Universal Jeep Works the Year 'Round Speeding Jobs, Cutting Costs for Fruit Growers

Check each season's jobs against the versatility of the Universal "Jeep" and you'll see why you can save money with one vehicle that spreads its cost over so many uses.

The Universal "Jeep," with 4wheel-drive and speeds from 2 mph up, serves efficiently as a light tractor for orchard work. Its low silhouette, ease of operation, maneuverability and surefooted traction on turns make the "Jeep" ideal for the fruit grower.

Used as a pickup or tow truck, the "Jeep" can go down rows without damage to trees. With its 2-wheel-drive, it speeds up trips to and from the orchard, hauling fruit or brush.

The "Jeep" serves as a handy runabout that takes you to any part of the orchard or into town.

With power-take-off points at center and rear, the "Jeep" will operate sprayers and dusters, and furnishes up to 30 hp for beltdriven equipment.

Examine the Universal "Jeep" at Willys-Overland dealers, and you'll see that it is the all-around answer to the fruit grower's needs.

Willys-Overland Motors, Toledo, O.



GET A UNIVERSAL

With its low silhouette, 4-wheeldrive traction and easy maneuverability, the Universal "Jeep" speeds up brush clearing and does countless other orchard jobs every season of the year.







Figure 3

Figure 4

Figure 5

01

where

their being and can tion nitro

year

goin

tain

Real

mud

than

elim

free

four

spec

ever

have

fold

serie

prol

ang

grov

The

atte

velo

licio

SO

into

for

Hib

bud

SIX

case

licio

I

set

mai

whe

by

mos

Mo

the

whi

wir

orc

sca

cou

sea

ery

inst

and

a t

bus

F

B

0

ANOTHER CONFIRMS

(Continued from page 11)

as well as with the kind of under stock used. An example of the effect of the under stock on the relative size of top produced by varieties is visible in our own orchards. In a block of trees about twenty years old Starking has outgrown Golden Delicious. These trees came from a nursery and the root stock is unknown. (Please refer to Figure 1, "S" for Starking and "G" for Golden Delicious.

Further up the same row in a younger section of the orchard, the Starking Trees are smaller than the Golden Delicious, both being upon Virginia Crab as an under stock. (See Figure 2). Again in the same block of trees it can be seen that Starking has out grown Gallia Beauty on the unknown nursery stock. (Look at Figure 3). With the same varieties in the younger trees it will be observed that the Starking still out grows the Gallia Beauty. (Shown in Figure 4). In other words, although Figure 2 showed that Starking did not grow too well on the Virginia Crab, it appears to do relatively better on it than does Gallia Beauty. In Figure 5, Jonathan has grown taller than Turley, both being on Virginia Crab.

Under our climatic and soil conditions resistance to drought is very important. It seems desirable to have the under stock a rugged, tough, and wide rooting sort. Where it is "congenial" with the top, Virginia Crab seems to answer these requirements. In order to take advantage of its good points for varieties which do not "like" it, an intermediate section placed between the under stock and the top may solve the problem. For example, a Golden Delicious section might be placed upon Virginia Crab, while above the Golden Delicious would be a variety "congenial" with it such as Starking which is not so good directly upon the Virginia Crab. The following experience led to the reasoning for trying an intermediate section in building a tree. Several years ago it was seen that Gallia Beauty was not doing so well on Vir-

ginia Crab, so this group of trees was grafted to Golden Delicious with the Gallia Beauty then becoming the intermediate section or variety. unfavorable effect of the Gallia-Virginia combination was continued with the Golden Delicious top, although when it is placed directly upon Virginia Crab it is very good. Hence it seemed that if the mid-section could transmit an unfavorable reaction, it might logically be assumed that it could be made to continue a favorable one. Time may give the answer to that one. Several other midsection and top combinations are being tried, but all are too young to indicate any final conclusion.

Some of the East Malling clonal stocks are being tried under four of our commercial varieties. These are set as replants among older trees, and have not yet reached sufficient age to tell the whole story. Perhaps they will prove to be valuable, but it seems that many of our native crabs might

offer equal or greater chances of success, and should be tried by our federal and state investigators. A commercial grower has neither the time. nor the space, for much of such work. Many years must elapse before scientists can untangle some of these under stock and top combination puzzles. Perhaps some years could be saved if growers would try a few such puzzles in their own orchards, and then report their findings. Some replants used in this way could give the orchardist an interesting hobby, and a very good chance to "turn up" something of real commercial value, as well as lending a helping hand to the professional investigators who are attempting to solve this problem.

Extension workers who normally bring information from the experiment stations to the growers, might well keep one blank page in their note books, which could be used for the reverse process with the likelihood of mutual benefit.

A GROWER SPEAKS

(Continued from page 10)

not like the habit of lateral branches growing sharply at right angles, then abruptly vertical. A little fruit pulls the limbs over sideways. Again we learned never to attempt top working on these varieties except on very young trees, both because of the necessity of budding close to the center stock, and the tendency for the shock of later top working to throw the tree into premature bearing and pull it out of shape. The Baccata roots were unsatisfactory to say the least, showing variation, dwarfing, and a high degree of incompatibility, particularly with Hibernal.

By this time the whole matter of root stock came up for consideration. After all, of a thousand trees on the old French Crab seedling stock, probably no two were alike in form of growth, vigor, hardiness, disease and insect resistance. Progress has been made by using selected seedling stock such as Wealthy, Haralson, Whitney, Malinda, etc. But without artificial pollination of the seed these seedling

roots must be highly variable. So at most any reasonable cost, it would be worth while to grow own roots. This obviously is the perfect tree.

Hardy stocks have a tendency to throw their own roots if planted deep, and plenty of moisture is supplied. But to hasten and insure the process we can resort to forcing. This is perhaps best done by binding with a copper wire just above the graft (graft is preferable to bud) which chokes the old root, and forces "own" roots above the graft on the scion stock. Better results are obtained by wiring first season growth instead of the usual "yearling" trees, and planting a little deep in the nursery row where moisture is guaranteed. Here again Hibernals are preferable to Virginias; roots grow far more uniformly, and done properly, should run close to a hundred per cent take.

For replants the above system is tops. These first year growths will be budded in August of the year following, and when replanted in the orchard will have a fine balance between root and top, since top is cut back at the same time roots are lost in

ances of sucby our fedors. A comher the time. of such work e before scime of these bination puzers could be y a few such rchards, and s. Some reould give the hobby, and rn up" somevalue, as well

s who are roblem. no normally the experiwers, might ge in their be used for ne likelihood

and to the

able. So at it would be roots. This ee. endency to

anted deep, s supplied. the process This is perwith a copraft (graft ich chokes own" roots cion stock. by wiring ad of the d planting row where Here again Virginias; ormly, and close to a-

system is wths will year foled in the alance betop is cut are lost in

GROWER

replanting.

Our next undertaking was the setting of two hundred regular yearling Hibernals (for Stayman) between old trees in sod, wiring in the fall when set, and mulching heavily with sawdust. They were budded the fol-lowing summer. This block has done well, and apparently have thrown their own roots. But one was lost by being "choked" to death. Moisture and drainage is a must, and the former can be assured by a liberal application of sawdust; however, extra nitrogen must be used after the first year-for chemical reasons.

Observation was made (without going into the reasons here) that certain varieties like Delicious and Rome Beauty, grow a better tree from one mud rightly placed on center stock than from scaffold budding. This eliminated protection from crotch freezing, but these varieties, we have found, are not as serious in this respect as Jonathan for example. However, though most varieties would have better freeze protection by scaffold budding, this damage is not as serious as at the collar, and our whole problem becomes simplified from the angle of both the nurseryman and the grower by using the one bud system. The grower will not and should not attempt something too complicated.

So for some practical conclusions: Forget Virginia Crab. They develop some fine Grimes, Golden Delicious, Jonathans, McIntosh, etc. but so will Hibernals without running into some of the difficulties of the

For replants, set first year growth Hibernals in the nursery, wired and budded as described above.

Bud out on scaffolds an average of six inches from main center, but in cases of varieties like Rome and Delicious use only one bud.

In case of large plantings, at least set regular yearling Hibernals in permanent location, a little deep, wire when set, and if moisture is assured by cultivation or adequate mulch, most trees will become self rooted. Moisture will also facilitate budding the following July or August-or while bark is slipping.

Possibly the nurseryman could best wire these trees when grafted. If the orchardist doesn't want to bother with scaffold budding, the nurseryman could even place one bud the second season of growth while in his nurs-

Do the whole process by budding instead of grafting. It is very simple and the process speedy. It comes at a time when the operator is not so busy as in the spring when grafting is done. Top working can guarantee

(Continued on page 23)



efficiency and economy and Champion is his favorite spark plug. Champion Spark Plug Company, Toledo 1, Ohio.



FOLLOW THE EXPERTS - USE DEPENDABLE CHAMPIONS ON YOUR FARM

NEWS state

CONNECTICUT-During June and July, Connecticut growers had the opportunity of attending three meetings—the annual hamburger roast at the Lyman Farm, the Connecticut Pomological Society summer meeting at the Barnes Bros. Farm and Fruit Growers Day at the University.

The highlights of the Barnes meeting

was a tour of the 400 acre apple, peach and pear orchard as well as demonstrations of a speed sprayer, a movable boom sprayer, vapor dusters, dry dusters and a Frost Diffuser.



Sheldon Funk, Pennsylva-nia fruit grower,

was guest speaker at the Fruit Growers Day held in conjunction with the University of Connecticut Farm and Home Week, from July 30 to August 1. Mr. Funk related many interesting observations gathered from his recent tour of the Northwestern fruit sections as well as timely and worth-while thoughts gathered in his many years of experience as a fruit grower. Sherman P. Hollister, Professor Emeri-

tus of horticulture at the University, told of his 1945 experiences and travels in England and Scotland.

Staff members of the Connecticut Agricultural Experiment at the New Haven Station and of the University discussed timely fruit topics after which a tour was conducted through the experimental plots. These plots include studies in mulching blueberries, strawberry fertilization, cover crop vs. clean cultivation in peaches and apples, and dwarf root stock for apples.

John Lyman, of Middlefield, received a certificate of Honorary Recognition from the University of Connecticut at exercises in connection with Farm and Home Week. Mr. Lyman is the seventh fruit grower to be so honored since this custom was established in 1924. "The purpose of Honorary Recognition is to signalize outstanding devotion and fruitful service by men and women who have made note-worthy contributions to agriculture and rural life in Connecticut."

sho the ten reg

to

of

poll

whi

alor

Cro

sect yelle

desi

day

colo

vari

Shir

very

pear

the

San

is a

and Pe

They fall

eases the h

is a 1

on v

Bart pear

metr fruit Ap get la

any

with

dwar splen

tree

insist

If a desir

yello Th celler curio for to

more

thing

a lot

teurs,

colleg

some

touch

This i

OCT

P

Many fruit growers and their families attended the Song and Dance Festival on August 2. Approximately 1000 dancers participated in the Square Dancing under floodlights on the University Athletic Field.

C. H. Gowdy, of Greenwich, and C. B. Young, of Wallingford, were recently re-elected as the Connecticut directors of the New York and New England Apple Institute.

In spite of spring frosts, poor pollina-tion weather, scab infections and a short dry period in July, fruit prospects for Connecticut look very good. Predictions are for a crop of about 1,250,000 bushels of apples, with peaches and pears promis-ing a good harvest.—Arthur C. Bobb, Ex-tension Fruit Specialist, University of Connecticut, Storrs, Connecticut.

IOWA—This year on November 15th and 16th the annual Little Midwest Horticultural Exposition will be presented by the students of horticulture at Iowa State College. This show is unique not only because it is one of the largest in the country, but also because it is staged entirely by the students.

The show is held in conjunction with

the Iowa Horticultural Society, Iowa Fruit Growers Association, and other state garden and horticultural societies.

SOUTH CAROLINA—South Carolina topped all states in the shipment of fresh peaches during 1946, final tabulations show. The State, with a total of 8,698 cars, was 2,300 ahead of Georgia, which usually leads the way. The South Carolina shipments were far ahead of last year's 6.936 cars and information on the shipping showed that 33 states, Canada and Cuba received fruit from the Palmetto State. Miss Annie Belle Cribb, daughter of T. H. Cribb, manager of the South Carolina Peach Growers Association and president of the Spartanburg Chamber of Commerce, is shown with President Truman who seems to be taking plenty of interest in the excellent peaches delivered to him in



"Couldn't use these hills, Lem-'til I put on these B. F. Goodrich tires and got some traction."

Sure you get extra traction with B. F. Goodrich tractor tires. In a recent poll farmers from coast to coast voted 2 to 1 in favor of the open type tread - The B. F. Goodrich kind of tread. For extra traction, twice as many farmers preferred this kind

of tread as preferred the two other principal types combined! Chances are you'll feel the same way once you try these tires that bite deep, pull hard, and clean themselves. When you buy tires get the kind that tractor owners prefer 2 to 1—get B.F. Goodrich' tires.

An advertisement of B. F. Goodrich - First in Rubber



AMERICAN FRUIT GROWER

HOME FRUIT GARDEN

(Continued from page 7)

satisfaction.

Tree fruits pose a problem. A Montmorency sour cherry tree should probably be standard, though the fruit of Olivet and Reine Hortense is milder and richer and larger regardless of a tendency for the trees to be shy in bearing. Two varieties of sweet cherry, if the climate will permit, will be needed to provide pollination.

Peaches offer a great range. For cold northern sections, the early white Greensboro is still outstanding along with the late-ripening, yellow Crosby and Chili. For more favored sections, Marigold is a good early yellow. Where a freezing peach is desired, it may be well to wait a few days for Oriole which does not discolor easily upon exposure to the air.

Plums begin with the Japanese varieties, as Santa Rosa and Beauty. Shiro is clear yellow. Formosa is very large. The firm, meaty European types follow with such kinds as the yellow Oullins, and the rich blue Sannois. Did you know that there is a sweet Damson, a "pitless" plum, and a variety shaped like a date?

Pears are a questionable fruit. They may blight badly, and they may fall prey to various insects and diseases. Early in the season there is the bright-cheeked Elizabeth. Tyson is a reliable blight-resistant fall pear, the tree of which will live on and on with little attention. Clapp and Bartlett are standard large, yellow pears. Seckel has a small symmetrical tree with delicious small fruit

Apples are a problem. The trees get large and out of hand. If there is any question, leave them out, along with the pears. On the other hand, if dwarf trees are available, they are splendid for the fruit garden. If a tree is desired no taller than a man, insist on the Malling IX rootstock. If a tree the size of a peach tree is desired, insist on the Malling I. As for varieties, Yellow Transparent is the standard small tree with early yellow fruit.

The fruit garden provides an excellent opportunity to satisfy that curious instinct that all of us have for trying something new. There is more fun and interest in this sort of thing than there is in trying to raise a lot of mediocre fruit. Consult amateurs, fruit lovers, local fruit men, the county agent, the agricultural college, and experiment station. Take some of the fruit magazines. Get in touch with up-to-date nurserymen. This is the greatest enjoyment of the

fruit garden. The best book is U. P. Hedrick's "Fruits for the Home Garden." The New York State Fruit Testing Association at Geneva, New York, has at the moment the widest assortment of material for the home fruit garden, but forward-looking nurserymen are supplying a reasonable choice.

A discussion regarding culture in the fruit garden really requires a special article but a few points may be briefly made. A mulch of straw or some such material is ideal. It conserves moisture, provides winter protection, reduces the labor of cultivation, provides a clean mat, and is generally attractive. A nitrogen fertilizer applied in early spring at the rate of about ¼ pound for each year of tree growth will be found not far out of line. Apples will require more.

Control of insects and diseases is often a serious problem. A hand duster or a knapsack sprayer will help, but a power outfit is essential if large trees are included in the garden. Maybe fogs and dusts will some day be perfected to replace the liquid spray, but for the present the spray is best. Custom spraying by neighbors and specialists is increasing and is very satisfactory. For a homemade outfit, a small pump, a motor, and a tank can be rigged up to do the job. It does not take 600 pounds pressure in the fruit garden; 125 pounds will do a lot of spraying.

A general purpose spray that the writer has suggested, with considerable misgivings, is called the "Holiday Spray" for the reason that it is applied (1) before bloom, (2) after bloom, (3) Memorial Day, and (4) Fourth of July. It is composed of wettable sulphur and rotenone mixed according to the manufacturer's directions on the package. It is not the last word, but it is recommended to give "one less worm per apple" and is far more effective than some of its critics may suspect. DDT will undoubtedly be used more widely as it is better understood and will be a great help. In short, the insect and disease control problem is taking a turn for the better so far as the amateur is concerned.

The home fruit garden, then, can be a garden of delight and satisfaction but like all gardens, including the vegetable garden and the flower garden, it will return in proportion to the time, thought, and energy put into it. A careful plan should be made, perhaps some enterprising nurseryman will do this and provide the plants as well. The fruit garden has one definite advantage; it is a type of gardening that can be done standing up!



The HANDIPILER

Loads, unloads, elevates, stacks—handles cartons, bags, other packages up to 100 lbs. Light weight. Completely portable and self-contained. Available in four heights; adjustable up to 7-1/2, 8-1/2, 9-1/2 and 10-1/2 ft.; in two widths with 14 inch and 24 inch belt.

The HANDIBELT

An all purpose incline, decline or horizontal belt portable conveyor. Handles boxes, cartons, crates, bags. Either end may be raised or lowered. Elevates from 10 inches to 6 feet 3 inches, or from 30 inches to 7 feet 6 inches or any angle between.

For complete information write for Bulletin AFG-106

STANDARD CONVEYOR COMPANY
Morth St. Paul 9, Minnesota

MALONEY NORTHERN GROWN FRUIT TREES

for Orchard Profits These sturdy Apple, Peach, Pear and Cherry Trees, raised under famed MALONEY supervision, are top quality stock with hardy root systems that survive extreme climatic conditions. WRITE TODAY for big FREE Catalog showing all varieties. BIGGER PROFITS result SEND from Maloney GUAR-ANTEED Fruit Trees. FOR FREE MALONEY BROS. NURSERY CO., INC. COLOR 16 Circle Rd., Dansville, N.Y.

3 in 1 OTTAWA SAW

OUR 62™ YEAR



One motor performs all three operations. Furnished with or without attachments shown below.
Thousands in use. Make BIG profits in the ever increasing wood business. Pulley for

the ever increasing wood business. Pulley for belt work. Fully guaranteed.
Low direct-to-user prices. FREE details—write TODAY.

OTTAWA MFG. CO., 1932 Pine St., Ottawa, Kans.

,000 bushels cars promises. Bobb, Expriversity of ut.

ented by the

a State Col-

ot only be-

gest in the

ul service by

made note

iculture and

heir families

e Festival on

000 dancers

ancing under ity Athletic

h, and C. B.

recently re-

directors of

gland Apple

oor pollina-

and a short rospects for

Predictions

nction with ciety, Iowa and other societies.

carolina cent of fresh tabulations al of 8,698 rgia, which the Carolina last year's he shipping and Cuba letto State. The Carolina d president Commerce, uman who interest in I to him in



ROWER



Makes Bordeaux the Quick, Efficient Way!

Superfine is made by an entirely new process of vacuum crystalization which assures high purity and uniformity. A premium product at no extra cost to you!

NEW, QUICK WAY TO MAKE BORDEAUX

Superfine crystals are about the size of coarse table salt. Pour them into a container and play the hose on them. They dissolve before the container is filled! It's the easy and efficient way to make Bordeaux!

• FREE! SEND POSTCARD TODAY
FOR VALUABLE FREE BOOKLET— "Bordeaux Mixture-Its Efficient Preparation and Use."

Your dealer can also supply TRIANGLE BRAND Copper Sulphate in LARGE CRYSTALS, SMALL CRYSTALS, GRANULATED, "INSTANT" (pow-der) for regular Bordeaux mixture. Also MONOHYDRATED for Copper-

Oldest and best known brand! The standard for over 50 years

MADE BY

HELPS DUDGE REFINING CORPORATION ctrolytic Refiners of Copp





WHAT OHIO GROWERS ARE PLANTING

(Continued from page 16)

Fertile Hale	6
Vedette	5
Wilma	4

Since Ohio peaches are produced in many areas for local markets and many high quality varieties can be grown, particularly if they have hardiness, even if they lack desirable shipping qualities, there is a trend to plant a number of varieties beyond the list mentioned above. Ohio peach growers are also testing a number of the new varieties of recent origination upon which there is yet very little testing experience in the state.

Elberta still leads, particularly in areas where commercial peach growing is reasonably satisfactory because the tree handles so well and the crop self-thins and gives growers peaches that will handle readily not only on local markets but for shipment if necessary. For this reason it predominates in the areas which are producing peaches beyond the need for immediate local market. The Shippers Late Red, an Elberta type peach with somewhat higher color and perhaps somewhat better hardiness, is still a favorite particularly in Central and Southern Ohio plantings. Among the newer peach varieties Hale Haven has rapidly risen to prominence and over the state is now the leading commercial variety preferred for planting among the mid-season varieties. Golden Jubilee has come through the frosty springs of 1945 and 1946 surprisingly well all over the state, and it is not surprising that growers rate it fourth in their preference for varieties in new plantings. South Haven is still liked by many growers but is losing ground to Hale Haven in newer plantings. Not as many J. H. Hale are planted as formerly because with so many Ohio growers it has not been productive or profitable over the long pull.

The interest in white peaches is increasing but still lags way behind the demand for yellow. However, there is growing interest in Cumberland and Belle of Georgia and a number who market at the orchard still find a good trade on Champion because of its extremely high quality even though it is very difficult to grow and handle. Growers catering to local roadside markets are striving to get a succession of varieties to give them a continual supply of peaches from their earliest to latest varieties. Up to now there has been very little interest in recent years in

varieties that mature after Elberta because of the terrible menace from Oriental fruit moth on late varieties, With DDT spraying showing that this material will control the oriental moth on the fruit quite successfully there may be a revival of interest in the later maturing varieties which this survey does not reveal. However, it has been quite strikingly shown during the last two years that oriental fruit moth can be controlled not only on late varieties of peaches but also on quinces with properly timed and spaced DDT sprays, so that these fruits may well show a revival of interest in new plantings.

West

quire

to bre

ant e

ers st

wood ticula

freest

to thi

ince.

hardi

requir

simila

is a W

deterr

since

tests

period

a stro

search

the Y

SOUTCE

Shalil.

better

Shalil.

germi

factor

prefer

stock

nemate

merits

growe

which

knot i

tors w

trees v

tured

reducti

Yunna

unless

arises,

trees

nemato

import

of pea

true-to-

budding

erly tir

ninety-

attained

tion to

tice and

so impo

stocks

years.

some o

their us

to the a

hardy s

OCTO

tice.

We

For

Wh

As

Twenty-three strawberry growers reported on the planting trend with strawberries from all important commercial areas. There was no question about the variety they preferred to predominate in new plantings. For several years Premier has been the most dependable and productive strawberry variety for Ohio and since it does not need to be shipped it is proving very satisfactory for Ohio strawberry growers and ranks way ahead of all other. varieties. Probably well over 90% of the strawberry plantings in Ohio are of this variety. Catskill is still liked by many and ranks second in preference to Premier, with Dorsett ranking third in northern Ohio and Blakemore ranking third in southern Ohio. Fairfax is still liked by many who can get a premium for a high quality variety on local markets, and on heavy soils, especially in southern Ohio, there is still a desire to plant a few Gandy for late ripening strawberries. The Ohio Experiment Station reports that Midland has been very promising and high yielding for an early mid-season variety which ripens along with Premier in their variety test plots during the last two years. This is a round, conic berry, slightly darker and firmer than Premier and rated somewhat better in quality than Premier, and the Experiment Station suggests that strawberry growers in Ohio should try a few Midland to see how it compares with Premier under their growing conditions. Another variety that being suggested for trial is Sparkle, an attractive late mid-season variety, high in quality and excellent for freezing. Robinson and Fairpeake have also been promising under tests at the Experiment Station and are suggested for trial by commercial growers.

Among everbearing varieties the Green Mountain has been most productive and has made an excellent record for itself at the Experiment Station both with its fine June crop and its follow up crop of late summer and fall berries.

AMERICAN FRUIT GROWER

fter Elberta nenace from ate varieties, howing that the oriental successfully of interest rieties which

veal. Howe strikingly o years that e controlled s of peaches th properly sprays, so

vell show a plantings. rry growers trend with important re was no ty they prenew plant-Premier has le and proty for Ohio need to be ry satisfacry growers of all other. over 90% ngs in Ohio skill is still s second in ith Dorsett n Ohio and in southern ed by many for a high narkets, and in southern ire to plant ning strawriment Stad has been

yielding for riety which er in their the last two conic berry, rmer than what better r, and the

gests that hio should now it comtheir growvariety that r trial is te mid-sea-

uality and binson and promising iment Staor trial by

arieties the most pron excellent Experiment June crop ate summer

GROWER

PEACHES AND GRAPES

(Continued from page 10)

West Frontier Province, India. It requires only minimum amounts of cold to break the rest period and the resultant early blossoming make the flowers susceptible to spring frosts. The wood bark and flowers are not particularly hardy. The fruit is a yellow freestone. The Yunnan was brought to this country from Yunnan Prov-ince. China. This stock is much ince, China. hardier than Shalil and has a cold requirement to break the rest period similar to that of Elberta. The fruit is a white-fleshed freestone.

As yet, it has not been definitely determined which is the better stock since this can only be established by tests extending over a considerable period of years. There is, however, a strong tendency on the part of research workers in the South to favor the Yunnan. It is a more economical source of seed for seedlings than the Shalil. The Yunnan appears to be hetter adapted climatically than the Shalil. Seeds of the Yunnan seem to germinate somewhat better. These factors all add up to give the Yunnan preference over the Shalil as a rootstock for peaches in the South where nematodes are present.

Whatever may be their relative merits, there are now available to growers on-infested lands, two stocks which are nematode resistant. Rootknot is undoubtedly one of the factors which limits the life of peach trees when planted on the lighter textured soils. In the future, with the reduction in cost of the Shalil and Yunnan nematode resistant stocks, unless some unforseen difficulty arises, more orchards will be set to trees budded on these stocks and nematode injury shall become a less important factor in limiting the life of peach trees.

(Continued on page 25)

A GROWER SPEAKS

(Continued from page 19)

true-to-name varieties.

For best results we use raffia in budding; no wax is necessary. Properly timed and executed, results of ninety-eight per cent can easily be attained. One should see the operation to become familiar with the practice and its skills before attempting so important a task.

We have used nothing but hardy stocks in our plantings for twenty years. As experimentation clears up some of the uncertain things about their use, there will be no question as to the advisability of orchardists using

hardy stocks as an established prac-

OCTOBER, 1946





BORN 1850-STILL GROWING-AGE-STABILITY-PROGRESS

NINETY-SEVEN YEARS OF SATISFACTORY SERVICE

THE GREENING NURSERY CO

P.O. Box 605, Monroe, Michigan

Don't be afraid of bees. We furnish equipment to keep the bees from stinging you, also books, magazines, hives and everything you need. Ask for catalogue No. F.

Walter T. Kelley Co., Paducah, Ky.

a. B. West & Son

MAPLE-BEND NURSERY

TREES AND SHRE


PERRY, OHIO.



SEYMOUR SMITH & SON, Inc. SOLD ONLY AT DEALERS

ER Weed Burner Disinfecting Torch

CATALOG



I. E. ILGENFRITZ' SONS COMPANY Monroe, Michigan



Spend Your Vacation

• at this Central Florida, Country Club Hotel. Enjoy its championship golf course, swimming pool, shuffleboard, fishing, and Summer Sunshine. Open Dec. 20 to April I with special rates to Jan. 15th. Write now for full information. George L. Davis, Menager, Mount Plymouth Hotel, Sorrento, Florida.

FLORIDA

MOUNT PLYMOUTH HOTEL

SORRENTO, FLORIDA

Advertisement



From where I sit ... by Joe Marsh

Bert Childers and the Melon Patch

Bert Childers put an ad in the Clarion the other day. Here's what it said:

"Planted more melons than I can eat this year. Stop by and pick as many as you want. All free."

As you can guess, plenty of folks sent their kids over and plenty of the parents came too. They certainly stripped Bert's melon patch in no time. And then when they were ready to go home, Bert treated all the kids to lemonade, and offered the grownups a glass of ice-cold sparkling beer.

Naturally it puzzled some folks,

but Bert explains: "It's always given me a big kick to share things with others when I can afford to —whether it's the melons, or the lemonade, or beer. I guess I just like to indulge my whims."

From where I sit, if we had more "self-indulgent" people like Bert—who believe in indulging in such decent "whims" as share and share alike, live and let live, this tired old world of ours would be a whole lot better off!

goe Marsh

Copyright, 1946, United States Brewers Foundation

UNDERSTOCKS IN THE NORTH

(Continued from page 11)

haleb rootstocks are capable of abundant fruit production. The question that naturally arises in the mind of one working in rootstocks is-Are these varieties on Mahaleb as free from distase and therefore, as long lived as they would be on rootstocks more closely related botanically? Recent studies at the Geneva Station show that in cases where Mahaleh seedlings compose a considerable portion of the trunk, they have a marked dwarfing influence. These indicated affinity differences could be reflected in reduced longevity. As cherry leafspot becomes a less serious problem due to more effective sprays and better application equipment, nurserymen may revert to the use of Mazzard seedling. This, however, is provided that sources of hardy American grown seed are developed. The writer can report favorably on some Mazzard selections made more than twelve years ago at the Pennsylvania Station. and grown at Purdue since.

The writer is continuing breeding and selection of nematode and disease resistant strains, of a hardy plum stock. There is need for a more uniform rootstock than the now available Myrobolan seedling. Progress is being made and a uniform hardy plum

count

P.O.

You

STATE CIRK COWN 1933 (Created 1933) (Created 1933) (Created 1933) (Created 1934) (Created 1934)

stock is forthcoming.

Old Home Stock

Pear culture will show an upward trend in acreage in the mid-west when an economical method is developed for producing Old Home on its own roots and thus avoid blight infection of the seedling pear roots now used in propagation. Old Home serves well as a blight resistant trunk and scaffolds for pear trees in the Middle West.

Studies are under way to obtain fire blight resistant quince stocks for dwarfing pears, but no strains suitable for commercial use are available to date.

Taking all factors into consideration our studies at Purdue lead us to recommend own-rooted Virginia Crab as the most satisfactory understock for apples. Starting with the selection of a better rootstock for Grimes we have expanded the studies to test the Virginia Crab as an understock for Delicious, Golden Delicious, Jonathan, McIntosh, Rome and Turley. We have encountered some compatability problems, but these have been overcome by using red fruited sports or compatible strains of the above varieties top worked into the

S ΤН ge 11)

le of abundhe question he mind of ks is-Are leb as free re, as long rootstocks ically? Reeva Station re Mahaleh derable por-

e a marked e indicated be reflected cherry leafus problem ys and bett, nurseryof Mazzard 18 provided American The writer some Mazthan twelve

e. ng breeding and disease ardy plum a more uninow avail-Progress is hardy plum

nia Station.

an upward -west when developed on its own ht infection now used in

ock

serves well k and scafthe Middle obtain fire stocks for

ins suitable available to

considerae lead us to


Virginia tory underg with the otstock for the studies s an undern Delicious, e and Tursome comthese have red fruited ins of the ed into the

GROWER

MODERN "FLAME-THROWER" KILLS WEEDS!

DEFINITELY . . . PERMANENTLY 600,000 USERS

This famous kerosene torch burns out weeds, ots, stalks, with its 2000 F. flame. Destroys insect-pests, rodents; thaws; splits rocks; dis-infects poultry and livestock quarters. Has



FARMERS WHOLESALE NURSERY

PAUL PATTERSON, Owner

A dependable source for true to name fruit trees. We specialize in commercial accounts, and exercise every care in keeping our varieties straight.

Write for prices.

Smithville, Tennessee

You Get What You Buy



ATEMENT OF THE OWNERSHIP, MANAGEMENT, CIRCULATION ETC., REQUIRED BY THE ACTS OF CONGRESS OF AUGUST 24, 1912, AND MARCH 3,

of AMERICAN FRUIT GROWER, published monthly at Cleveland. Ohio. for October, 1946.

STATE OF OHIO COUNTY OF CUYAHOGA

COUNTY OF CUYAHOGA | 58...

Before me, a Notary Public in and for the State and county aforesaid, personalty appeared E. G. K. Meister, whe, having been duly sworm according to law, deposes sod says that he is the Business Manager of the AMERICAN FRUIT GROWER and that the following is, to the best of his knowledge and belief, a true simment of the ownership, management (and if a simment of the ownership, management (and if a climate of the control of t

Publisher, American Fruit Grower Publishing, Com-y, 1370 Ontario St., Cleveland, Ohio: Editor, J. H. ariey, 1370 Ontario St., Cleveland, Ohio: Edmagaing tor. None; Business Manager, E. G. K. Meister, 10 Outario St., Cleveland, Ohio.

10 ontario St., Cleveland, Ohio.
3. That the owner is: (If owned by a corporation, mans and address must be stated and also immediately thereunder the names and addresses of stockers owning or holding one per cent or more of total outs of stock. If not owned by a corporation, the ness and addresses of the individual owners must be est. If owned by a firm, company, or other unincorated concern, its name and address, as well as set each individual member, must be given.)

sees total amount of bonds, mortgages, or other scurities are: (If there are none, so state.) None.

4. That the two paragraphs next above, giving the ames of the owners, stockholders, and security holders. If any, contain not only the list of stockholders are the company, but also, in cases where the stockholder are security holder appears upon the books of the company as trustee or in any other fiduciary relation, the same of the person or corporation for whom such paragraphs contain sterements expecting affiner's full howfedge and belief as to the circumstances and continuous under which stockholders and security holders who do not appear upon the books of the company as resulted, hold stock and securities in a capacity other reason to believe that any other person, association, or respons to be the company as the co

E. G. K. MEISTER, Ruainess Manager. cribed before me this 16th day Nora I. Young, Notary Public. (My commission expires March 25, 1948.)

scaffolds of 4 to 6 year old Virginia Crab trees on their own roots established in orchard locations.

Progress is being made in economical methods of producing own-rooted apple stocks, and such studies will expand the use of hardy disease resistant stocks.

As the initial paragraph states, progress in rootstock development is slow, but the results are obviously a paramount factor in the economy of the fruit growing industry.

PEACHES AND GRAPES

(Continued from page 23)

Grapes

While the American bunch grape is not one of the most important fruit crops in the Southeast, it is grown on a small scale over rather wide areas. The principal difficulty in growing it economically in this section is the short life-span of the vineyard. This has been attributed to many causes, such as various root troubles, but it is more likely that this species of grape is unadapted to the climate of the Southeast. Vineyards of these grapes planted in the Piedmont region of the Southeast look very promising for three and sometimes four years and produce high yields for a year or two but then simply die out. As a solution to this problem research workers turned their attenton to grafting on rootstocks which by increasing vigor would cause the scion varieties to be longer lived.

American Varieties

In several of the southern states considerable attention has been given to studies on the adaptability of American grape varieties when grafted on various stocks. Out of all this work, the Dog Ridge variety (Vitus champini) seems to be superior to all other stocks tested. This grape is native to the limestone hills of southwestern Texas. It is adapted to the climatic environment of the southern states and the scion varieties grafted on it are more vigorous and productive and longer lived than the same varieties on their own roots.

The principal objection to its use at this time has been the difficulty of getting grafted vines from nurseries. Nurserymen have been reluctant to add this to their already complex operation. This will make the original cost of vines more expensive but the longer life of the vineyards under southern conditions would seem to offset this extra expense.



We are one of the largest growers of Fruit Trees and supply Quality True to Name Trees at fair prices. Send today for our 1946 catalog. Good fruit trees con-tinue to be scarce. Order

early to avoid disappointment. Satisfaction Guaranteed. Our 66th Year.

KELLY BROS. NURSERIES, INC. 155 Maple Street Dansville, N. Y. ```

Solve all your PACKING PROBLEMS: Wood Cases—New and Used

Plain—Full Depth—Open Top— Steel Strapping

IMMEDIATE DELIVERY

Order today at saving while 100,000 stock lasts!

111/2" wide—101/2" high—1774" long.
For complete information—Write, wire, or phone

AETNA BOTTLE & CONTAINER COMPANY

Gentral 8799 1066 Paul Brown Bidg. St. Louis 1, Missouri

FRUIT TREES, RASPBERRY AND BLUEBERRY PLANTS



For Fall Planting
Complete Line, Apple, Peach, Pear,
Cherry and other fruit and nut trees;
hueberry, boyaenberry, raspherry,
grapes and asparagus plants; flowering shrube, shade trees and overgreens. Selling direct—with T9 years
experience, we guarantee satisfaction. Send for free catalog.

auntiful Ridge Nurseries, Box FIOS, Princess Anne, Md.



OPPORTUNITY ADS

15c a Word—CASH WITH ORDER, Count each initial and whole number as one ADDRESS AMERICAN FRUIT GROWER, 1370 Ontario Street, Cleveland 13, Ohio Only 15c

APPLES

APPLES: GRIMES GOLDEN, JONATHAN, DELICIOUS, Stayman Winesap, Rome Beauty. Carefully graded and packed in bushel baskets. Apply to: AVALON FRUIT FARM, L. B. Yaple, Prop'r., Chillicothe, Ohio.

BABY CHICKS

67 RARE VARIETIES BABY CHICKS, EGGS, BREEDing Stock. Ducks, Geese, Turkeys, Guineas, Chickens,
Bantams. Free handsome catalogue, colored pictures,
showing Lakenvelders; Polish; Hamburgs; Andalusians;
Sussex; Gianta; Cornish; Houdans; Minorcas; eleven beautiful varieties Wyandottes and Rocks; Australorps; Spanish; Buttercups; Anconas; Orpingtons; Rhode Islands;
New Hampshires; Brahmas; Yokohamas; Turkens; Vikings; 10 varieties Hybrids. MURRAY McMURRAY
HATCHERY, Box B24, Webster City, Iowa.

47 COLONIES BEES. 20 CAUCASIANS. HONEY CROP and Equipment \$800.00. FLOYD BLACKMAN, Rockdale, New York.

DOGS

FOR SALE—DOGS OF THE HUNTING BREEDS. Coon, Opossum, Mink, Squirrel, Fox, Rabbit dogs, Judged by appearance. Ten days trial. Write for literature and conditions, of sale. Prices reasonable. J. N. BYAN KENNEL, Murray, Kentucky.

EDUCATIONAL

EABTHWORM CULTURE. SEND POSTCARD FOR valuable free bulletin on "Earthworms: Their intensive Propagation and Use in Soil-Building." DR. THOMAS J. BARRETT, Dept. 7, Box 488, Roscoe, California. CORRESPONDENCE COURSES AND SELF-INSTRUC-tion books alightly used. Sold, Rented. Exchanged. Al subjects. Satisfactors guaranteed. Cash paid for used courses. Complete information and 100-page illustrated bargain extainer FREE Write—NELSON COMPANY, Dept. 2-65, Chicago 6, Illinois.

FLOWERS

DELPHINIUM. GROWER OF WORLD'S FINEST Giants; also Hardy English Border Carnation. Free Liter-ature on request. OFFERMAN GARDENS, 4709 W. Stevens, Seattle 6, Washington.

FOR SALE-EQUIPMENT & SUPPLIES

TWO ONLY, BATES COMBINATION FRUIT SIZER, Cleaner and Polisher. Only padded and patented machine manufactured to protect deficate fruit from bruising, Savings soon pay for machine. Unable to supply trade. Am offering to sell territorial rights to manufacturer and sell on royalty basis, GEORGE BATES, Manufacturer, Kingston, New York.

Kingston, New York.

FOR SALE, IMMEDIATE DELIVERY, NEW APPLE graders complete with receiving conveyor, cull eliminator, polisher, roller picking table, and two sixing units to give three commercial sizes of apples. Also new 400 bushel capacity peach graders complete with defuzger. Write HAMILTON COMPANY, Ephrata, Lancaster County, Falch and Heavy. Immediate Shipment. Write for circular. HORNER TRACTOR SALES, Geneva, Ohio.

FOR SALE—ONE MOUNT GILEAD NO. 6-C HY-draulic Cider Press. Capacity 1200 gallons daily. Good condition. Priced \$150.00. THAD LOVELESS, Gillespie, Illinois.

Illinois.

SAVE \$50.00 TO \$100.00. BUILD YOUR OWN CARGO, dump or cattle trailer with a complete Mastercraft Trailer Chassis. Two sizes, tilting and stationary ready for body write for specifications and price. MASTERCRAFT TRAILERS, R.F.D., Wethersfield 9, Conn. FOR SALE—ONE LARGE CAPACITY CIDER PRESS, cloths, racks and all in good condition. Also one Sparkler cider Filter, Model 14-D-4, 125 to 150 gals, per hour. REYNOLDS ORCHARDS, W. W. Reynolds, Utica, Ohio FOR SALE: CIDER PRESSES AND SUPPLIES, ADPLEADED TO THE STATE OF THE SETS. AND SUPPLIES, ADMACHINERY COMPANY, 185 Oakland Street, Treaton, New Jersey.

GRINNELL AUTOMATIC FIRE SPRINKLER, VERY large Cider Press, J. S. STANLEY, Route 3, Huntington,

PRUNING TOOLS, LAMINITE TREE GUARDS, HAM ilton Spray Guns, etc. Write for price list. TYSON OR CHARD SERVICE, Flora Dale, Pa. Established 1900

HAVING CAR TROUBLE? NEW, USED, GUARAN-teed auto, truck parts, save money. Transmission special-ists. Describe needs; immediate reply. VICTORY, 2030 AZ North Western, Chicago 18, Illinois.

HORSE TRAINING

"HOW TO BREAK AND TRAIN HORSES"—A BOOK every farmer and horseman should have. It is free; no obligation. Simply address BERRY SCHOOL OF HORSE-MANSHIP, Dept. 1310, Pleasant Hill, Ohio.

MAGAZINES

FREE! AMERICAN BURALIST MAGAZINE, 3 months, Remit 10c to cover mailing cost, 506 OAKLAND, Indianapolis 1, Indiana.

BETTER FRUIT MAGAZINE, MONTHLY; EASTERN Fruit Grower, monthly; each \$1 year. MAGAZINE MART, Plant City 11. Florids.

MALE HELP WANTED

WANTED AN EXPERIENCED, AMBITIOUS APPLE grower, mechanically inclined, to manage about sixty acres of bearing orehard located in Illinois. Either salary or share basis. Home furnished. Reply to BOX 57, AMERICAN FRUIT GROWER, 1370 Ontario Street, Cleveland 13, Ohio, stating terms expected and giving references.

NDUSTRIOUS AND CAPABLE YOUNG MAN WITH raining and experience for orchard foreman southwest-ra Ohio. Modern home, on highway. Fuel, meat and dairy urnished. Write particulars, AMERICAN FRUIT GROW-ER, Box 55, 1370 Ontario Street, Cleveland 13, Ohio.

WANTED—EXPERIENCED ORCHARDIST TO SUPER-vise fully equipped 70 acre orchard. Six room dwelling with electric. Attractive contract. Write BOX 58, AMER-ICAN FRUIT GROWER, 1370 Ontario Street, Cleveland 13, Ohio.

MISCELLANEOUS

SAVE TREES WITH TRE—TEX FROM RABBITS, Mice, Gophers, Tree-borer, Scab, Winter-kill. Save Every Tree. One pound enough for 160 to 150 trees. Used at Orchardview since 1942. Also used in spray dust. IT STICKS, Lasts over a year. Unused portion never spoils. U. S. Patent Trademark, 1946. Sold under absolute guarantee. One pound, \$1. Ten pounds \$9. 50 pounds \$45, repealed, 169 pounds \$80, express not prepaid. Testimonials and references sent on request. REV. E. L. ECKERLEY, ORCHARDVIEW, Box 91, Noblesville, Indiana.

MORE PROSPERITY IN OREGON, GROW UP WITH Western Oregon. Development. Splendid Openings for Dairying or General Ranching, Professional, Dentists, Lawyers, Profit from Timber Income. No cold weather or bad winds. Contact HENRY C. KELLEY, Realtor, Bank Building, Sutherlin, Oregon.

LARGE ESTATES—CATTLE, GRAIN FARMS, FREE Catalog, OLD BELT REALTY COMPANY, Chase City,

STREAMLINED PLYWOOD KITCHEN CAB-lans 25c. PLAYNE CABINETS, 4617-Johnson Western Springs, Illinois.

NIRGINIA.

BUILLD STREAMLINED PLYWOOD KITCHEN CABinets! Plans 25c. PLAYNE CABINETS, 4617-Johnson Avenue, Western Springs, Illinois.

LATEST WALNUT CRACKER—DIRECT FROM MANufacturer. Benn Thompson, Harrisonburg, Virginia.

ENGLISH SPARROWS EAT AND DESTROY FRUIT.
Make your own trap that will catch thousands. Write for details. ROY VAIL, La Grange 24, Indians.

MUSIC BOXES

I WILL REPAIR YOUR PRICELESS INSTRUMENT with the care that you yourself would use. MARK E. NOVACK, 157 Clark Road, Brookline (Boston), Mass. (We have fine music boxes for sale, also.)

NURSERY STOCK

NURSERY STOCK

STRAWBERRY PLANTS—MILLIONS OF THEM. Twenty Varieties of first class plants. Write for price list, ANNA STRAWBERRY PLANTS—MISSIONARY, KILONDYKES, Blakemore. \$6.00 per thousand in lots of 10,000. TENNESSEE SUPREME, \$10.00 per thousand in 150 acres certified Plants. G. W. BAGWELL PRESERVING COMPANY, 1500 Chestmut, Chattancoga, Tennessee. HYBRED RASPBERRY—POTOMAC (RUBUS NEGlectus) Red x Hlack cross originated by our USDA which thrives on all soils. Very productive, large, easy to pick, deep purple fruit of finest dessert or canning quality. Vigorous upright canes, thormiess, disease resistant and very winter hardy. Prices of 'Potomac' for October or April Planting \$3.00 per 25; \$6.00 per 50 prepaid; \$35.00 per 25; \$6.00 per 50 per

and Evergreens?

BLUEBERRY (CULTIVATED) BY COMMERCIAL grover (associated member). Stanley, Jersey, Rubel—50 plants \$2,00 each, 100—51,75 each; excellent root and cane pruned for a future). BLUEBERRY ACRES, care of W. A. Heffelman, 2420 E. Market, Akron 5, Ohio.

NORTHERN SELECTED, STATE I N S P E C T E D, strawberry plants, Aroma, Aberdeen, Blakemore, Beaver, Catskill, Dellmar, Dorsett, Fairfax, Senator Dunlap, Mayrine, Bohinson, Red Star, 100-\$3, 32; 250-37,50; 500-\$14.50. Gem. Minnesota No. 1166, Mastodon, (everhearing), 25-\$42,10; 50-\$3,80; 100-\$61.5. Viking, Latham, Chief, Newburg raspherry plants, 10-\$1.50; 25-\$3.30; 100-\$13.50, prepaid BRULE VALLEY NURSERIES, Brule, Wisconsin.

100-\$13.50, prepaid. BRULE VALLEY NURSERIES, Brule, Wisconsin.

"BRUNES MARVEL" NEW EVERBEARING STRAWberry. Outstanding flavor, wonderful canner and freezer,
rety sweet and hardy. Folder free. BRUNES STRAWBERRY NURSERY, Pequot Lakes, Minnesota.

TWO THOUSAND TWO-YEAR OLD 4½ FT. TALL
Hale Haven Peach Trees for immediate or spring delivery. Every tree in perfect condition, all treated with
thirty-two percent nitrogen. Will bear heavy in 1948.

Write me for price and full details. HERBERT D.
CHAMBERIAAIN, M.D., McArthur, Ohlo.

DEPENDABLE FRUIT AND NUT TEEES, SMALL
fruits, Ornaments, and General Nursery Stock Combined
catalogue and Planting Guide free. CUMBERLAND
VALLEY NURSERIES, INC., McMinnville, Tennessee.

STRAWBERRY P LA N TS—KLONDIKE, DUNLAP,
Aroma, Blakemore, Missionary, 100, \$1.25; 250, \$2.50;
500, \$4.50; 1000, \$8.00. Tennessee Shipper, Tennessee,
100, \$1.30; 250, \$2.75; 500, \$5.00; 1000, \$9.00;
Frogressive or Gem Everbearing 100, \$1.45; 250, \$3.25;
500, \$6.00; 1000, \$1.00, SHIPPED Prepaid, HYSINGER
NURSERIES, Cleveland, Tennessee.

STRAWBERRY, PLANTS FOR SALE ANY SEASON.

STRAWBERRY PLANTS FOR SALE ANY SEASON.
Aromas and Blakemores—100 for \$4.00; 250 for \$9.00;
500 for \$15.00 and 1000 plants for \$28.00. "Yellows-free"
Blakemores—100 for \$5.33; 250 for \$12.00; 500 for
\$29.00; 1000 plants for \$37.33. All shipments by express
—charges collect. JUG BRAND FRUIT FARM, Colcord,

STRAWBERRY PLANTS — BLAKEMORE, MISSION-ary at 100 for \$2.00; 500 for \$5.00; Postpaid. 1000 for \$8.00. Expendaring at \$15.00 per 1000. Boysenberry thorn-less at 20c each. JOHN LIGHTFOOT, Birchwood, Tenn.

NEW CANADIAN RASPBERRIES INCLUDING MADA-wasks—a variety as hardy as Latham and much earlier, the finest canning variety for the North. EDWARD LOW-DEN, Hamilton, Ontario.

HARDY VARIETIES OF TESTED PEACH Catalog free. MARKHAM FRUIT BREEDER, Flora, Illinois.

IMPROVED BLUEBERRIES, DELICIOUS U. S. GOV'T Hybrids large as grapes. 2 Yr. Plants 70 cents each, \$8.00 per dozen. 3 Yr. Bearing Age Plants \$1.35 each, \$15.50 dos. Geo. C. MORSE, Williamson, New York.

PEACH TREES—BEST NEW AND STANDARD VARIL-ties. PEACH RIDGE FARMS, Clenson, South Carolina ONE HUNDRED NURSERY GROWN TRUE SUGAL maples 1½ to 2½ inch diameter \$600, F.O.B. Will now into sap bush in few years. No catalogue, J. MILEP POTTER NURSERY, East Springfield, New York.

EVERGREENS: SEEDLINGS AND TRANSPLANTS for Christmas tree, forest and home planting. SUNCREST EVERGREEN NURSERIES, Johnstown, Pa.

PEACH AND APPLE TREES LOW AS 20c. PRAMS, plums, cherries, nuts, berries, grapevines 10c. Dregreens, shrubs, shade trees low as 25c. Catalog Fre. TENNESSEE NURSERY COMPANY, But 20g. Clerkland, Tennessee.

FHUIT TREES GROW CONTRACTS NOW BEING ACcepted in lots of 5,000 to 100,000 trees at special quantity contract prices budded or gratied especially for you Dapricots, prunes, cherries, grapevines, etc. State size and number of each variety wanted. TENNESSEE NURSERY COMPANY, Box C-202, Cleveland, Tennessee.

THORNLESS BOYSENBERRY PLANTS, THOMPSON NURSERIES, Spring City, Tanan

THOSITOUS TOURISHINGS, SPRING CLTP, Tennessee.

FRUIT AND NUT TREES.—A COMPLETE ASSORPment of peach, apple, prune, plum, cherry, aprisot, pas,
nectarine, walnut, filbert, almond trees, etc. Also, bery
plants, roses, evergreens, flowering and shade trees, onamentals and other items. Write for our free, 40-macatalogue listing 700 new and improved varieties. TULLITIN VALLEY NURSERIES, Route 3, Sherwood, Orego.

QUICK Avoid : folder. 51, Illi

MAGIO welds, direction are att One You farm U St., No

Otto

from

used close ment

Agri

Stra

have

also

in co

timo

soil a

after is litt

blueg

ter h

sawd

5.07, whea

comr

sawd

acidi perie

Th

Th both

WE HAVE NEW VARIETIES APPLE AND PRACE trees to offer. Write for description and prices for all planting. VIRGINIA TREE FARM, Woodlawn, Virginia

FOR SALE FRUIT TREES, BLIGHT RESISTING Chestnut trees. Fruit tree and Seedlings and Root grafts, VIRGINIA TREE FARM, Woodlawn, Virginia.

STRAWBERRY PLANTS—100. BLAKEMORE 51.00 postpaid. Ask for list describing all leading varieties. Including Everbearing, as well as vine berry plants. WALLER BROTHERS, Judsonia, Arkansas.

FRUIT TREES AND BERRY PLANTS IN AN EXTEN-sive assortment of varieties offered by Virginia's larges Growers. Write for Free Copy 44 Page Planting Gaids. WAYNESBORO NURSERIES, Waynesboro, Virginia.

ORCHARDS FOR SALE

FOR SALE: 30 ACRE APPLE ORCHARD IN VAN Buren County, Michigan. On main highway, modern home. Write BOX 437, Lawton, Michigan.

ORCHARD FARMS: 59 AND 80 ACRES; FACE 10 acres of the best varieties of apples, peaches and sweet cherries; splendld modern homes; spring water, BROWN REALTY, Ashland, Ohlo.

FOR SALE: 85 ACRE FARM AND ORCHARD, LAND in high state of cultivation, Located on U. S. Highway 8, second highest traveled highway in Kentucky, 15 miles south of Paducah. 30 acres in orchard peaches 5 miles oid, 2 acres in applies, Peaches produced nice crop into and '46. Excellent for Boadside market and tourist came REA electricity across frontage, Only 30 minutes from Kentucky Lake now being developed by the Bitate and TVA. This farm has vast possibilities. For particular write H. C. DINWIDDIE, Mayfield, Kentucky.

MANISTEE CO. 220 ACRES. 50 ACRES TIMBER, 00 Acres orchard. Cherries, peaches, apples, pears. Complete dafry. 30 milk cows. Income tax shows \$17,428.38 lat year. AMY FLINK (salesperson), 70 Alexandrine W. Detroit, Michigan. (John L. Sullivan, Broker).

NINETY ACRE PRIME APPLES, TWENTY THOU-sand, Cash, INQUIRE WILLIAM HARKNESS, Sacges-town, Pa.

APPLE ORCHARD—OVER 2,000 APPLE TREES OF standard varieties in full bearing, 5 acres in peaches. Good 6 room house, electricity. Fruit house with storage Equipment optional. Write KERN & BETSCH, Chillicothe, Ohlo.

147 ACRE PEACH, APPLE ORCHARD, COMPLETE Exceptional buildings, splendid home. LOOP REALT, Salem, Ohio.

29. ACRE ORCHARD, ROADSIDE MARKET, PLANT nursery Equipment, on U. S. Highway 40, \$22,000.00. O. SCHWOB, Lewisburg, Ohio.

FREE CATALOG. 200 IOWA FARMS. RUSSELL SMITH, Fairfield, Iowa.

PATENTS

NATIONAL TRADE MARK COMPANY, MUNSEY Building, Washington, D. C.

CENTURY DELIVERS WORK AND SERVICE THAT can't be beat, Sixteen Famous Century-Tone prints each seven, roll 30c. FREE Mailers. CENTURY PHOTO SERVICE, LaCrosse, Wisconsin.

PIGEONS

FANCY WHITE FANTAIL PIGEONS, CHAS. DINKEL-MEYER, North Bellmore, L.I., New York.

PEAFOWL, PHEASANTS, BANTAMS, GUINEAS, Waterfowl. Thirty Varieties Pigeons. Free Circular. JOHN HASS, Bettendorf, Iowa.

PIGEON LOFT, SHERMAN OAKS, CALIF.—MONTE-ly, Helpful articles, excellent pictures; fancy, racins, utility pigeons, Sample dime. Seven-month trial subscrip-tion \$1,00. Satisfaction assured.

POULTRY MAGAZINE

YOUR GREATEST POULTRY PROBLEM WILL 100% simple when you read American Poultry Journal regularly, 500,000 poultrymen do, why not you? 2 year 30, 5 years \$1.00. AMERICAN POULTRY JOURNAL, 588 South Clark, Chicago, Illinois.

PLANT CONSULTANT

BLUEBERRY—GROWER CONSULTANT: YOU MAY have blueberry soil and a real profit waiting—We advise on your soil, the better varieties, propagating and one piete service AT YOUR LOCATION—reasonable charable LUEBERRY ACRES, care W. A. Heffelman, 2150 E. Market, Akron 5, Ohlor

TANDARD VARIE1002, South Carolina.
1003 TRUE SUGAR
1004 F.O.B. Will present the sugar
1005 J. MILLER
1005 J.

D TRANSPLANTS
Anting SUNCREST
WIN, Pa.

7 AS 20c. PEARS,
Devines 10c. Ever25c. Catalog Fra.
X, Box 202, Cere-

NOW BEING AC-B at special quantity ecially for you. De-pples, pears, pluma, etc. State size and etc. State size and NESSEE NURSERY PLANTS, WRITE,

MPLETE ASSORT.
herry, apricot, pear,
28, etc. Also, cerry
1 shade trees, ornaour free, 40-pag1 varieties, TUALd1 varieties, TUALd, Sherwood, Oregon

PLE AND PEACH and prices for fall Woodlawn, Virginia GHT RESISTING gs and Root grafts, , Virginia.

AKEMORE \$1,00 cading varieties, in-erry plants. WAL-

PS IN AN EXTEN-y Virginia's largest ge Planting Guide, lesboro, Virginia.

CHARD IN VAN CRES; EACH N

ORCHARD, LAND U. S. Highway 45. U. S. Highway 65, Kentucky, 15 miles re-deduced by passed nice crop in 45 t and tourist camp. 30 minutes from by the State and 28. For particulars Kentucky.

RES TIMBER, 60 es, pears. Complete ws \$17,426.36 last 0 Alexandrine W. a., Broker).

TWENTY THOU-

PPLE TREES OF acres in peaches. house with storage. BETSCH, Chilli-

RD, COMPLETE, LOOP REALTY.

RMS. RUSSELL

ANY. MUNSEY

SERVICE THAT

CHAS, DINKEL-GUINEAS, WA-Circular, JOHN

ALIF.—MONTH-s; fancy, racing, ath trial subscrip-

EM WILL LOOK try Journal regu-you? 2 years 50c, JOURNAL, 588

NT NT; YOU MAY aiting—We advise gating and com-easonable charge. ffelman, 2420 E

GROWER

OPPORTUNITY ADS

PRINTING

PRINTING—8½ x 11 Letterheads \$5.75, 6½ Envelopes \$5.80 Business Cards \$4.25, All prices per 1000. We print arvhing. Send your order today, IMPERIAL PRESS, imperial, Pa.

RUBBER


RUBBER-Your Rubber requirements are importantinow where to get it when you want it. Belts-rubber
hands-boots-coats-gloves-hose-spray bulbs-apronsindeling strips, Get our Price Sheet and Catalog today.
BROADWAY RUBBER MANUFACTURING COMPANY,
Luisville 2, Kentucky.

SIGN PAINTING

QUICK SIGN PAINTING. USE LETTER PATTERNS. Arold aloppy work and wasted time. Write for descriptive foider. JOHN RAHN, Box B1331, Central Ave., Chicago 31, Illinois.

WELDING

MAGIC ELECTRIC WELDER, 110 VOLT AC-DC; selds, brazes, solders, cuts all metals, easy to use; full directions. Complete with power unit, flame and metallic are attachments, carbons, fluxes, rods, mask. Guaranteed one Year. Only \$19.95. Used by the Navy. Splendld for fam use. MAGIC WELDER MPG. CO., 241 LS Canal 8., New York, New York.



NEW APRICOT VARIETY

The Sun Glo, (left) a new apricot variety found in the yard of Entiat valley rancher Otto Heider, is compared to Tilton (top).
and Wenatchee (bottom) varieties, all picked at about the correct shipping stage of ripeness. The Sun Glo was bright orange, while the others were green. The new apricot is larger, and has a high gloss.

Nurseryman W. D. Plough of Wenatchee plans to patent the variety.

Sawdust Makes Good Fruit Tree Mulch

MANY kinds of material ranging from paper to glass wool have been used as mulches for fruit frees, discloses J. H. Gourley, of the Department of Horticulture at the Ohio Agricultural Experiment Station, Straw, hay, and orchard mowings have been most commonly used.

The Experiment Station has used both hardwood and pine sawdust and also shavings for a number of years in contrast with wheat straw, alfalfa, timothy, and others.

The chief question has been about soil acidity and it may be stated that after 12 years of treatment the soil is little or no more acid than it is under bluegrass sod. The soil under the latter has a pH of 5.22, the hardwood sawdust 5.07, the softwood sawdust 5.07, hardwood shavings 5.20, and wheat straw 5.35. Contrary, to the common conception, no objection to sawdust from the standpoint of soil acidity is justified from Station ex-

SUGAR ADDS TO **AUTUMN GLORY**

LEFT-OVER sugar is mainly responsible for many of the brilliant shades of autumn foliage, according to a popular leaflet on the subject issued by the Forest Service of the U.S. Department of Agriculture. Many suppose that frost is responsible for the color changes, but colors change before cold weather as the trees prepare for winter.

"All during the spring and summer," says the leaflet, "the leaves have served as factories, where the foods necessary for the tree's growth have been manufactured. Chlorophyll bodies make the food for the tree by combining carbon taken from the air with hydrogen, oxygen, and various minerals supplied in the water which the roots gather.

"In the fall when the cool weather

causes a slowing down of the vital processes, the work of the leaves comes to an end. The machinery of the leaf factory is dismantled; the chlorophyll is broken up into the various substances of which it is composed, and whatever food there is on hand is sent to the body of the tree to be stored for use in the spring.

'All that remains in the cell cavities of the leaf is a watery substance in which a few oil globules and crystals, and a small number of yellow, strongly refractive bodies can be seen. These give leaves the yellow coloring so familiar in autumnal foliage.

"It often happens that there is more sugar in the leaf than can readily be transferred back to the tree. When this is the case the chemical combination with other substances produces many color shades, varying from the brilliant red of the dogwood to the more austere red-browns of the oaks."



Best for Commercial-Finest for Home Planting

Special Law Prices in quantity lots

REGISTERED BLACK CAPS—safest to plant.

All others TWICE State Inspected.
BRISTOL, LOGAN & MORRISON BLACK RASPBERRIES NEWBURGH & LATHAM RED RASPBERRIES BLUEBERRIES—improved cultivated varieties. BOYSENBERRIES—regular and thornless.

ASPARAGUS—HORSERADISH—RHUBARB ROOTS Write for complete information and prices.
State varieties and quantities wanted.

W. N. SCARFF'S SONS, Box 131, New Carlisle, Ohio

Members Ohio State Horticultural Society for over 50 Years





LEG SUFFERERS

Why continue to suffer without attempting to do something? Write today for New Booklet—"THE LIEPE METHODS FOR HOME USE." It tells about Various Ulcers and Open Leg Sores. Liepe Methods used while you walk. More than 40 years of success. Praised and endorsed by multitudes.

FREE

LIEPE METHODS, 3284 N. Green Bay Ave., BOOKLET



Gasport, N.Y.

JOHN C. BACON CO.

IMPROVED, GRAFTED NUT TREES Also save your fruit, plant multiples for birds—select Honey Locust for deer. List free. Nut Tree Nurseries, Box 65C, Down-ingtown, Penna.



RED RASPBERRIES LATHAM-NEWBURGH-SUNRISE INDIAN SUMMER-CHIEF

Quantity prices for fall planting "Certified" disease free plants. Write for free catalog.

ANDREWS NURSERY

FARIBAULT 107 Orchard Crest MINNESOTA

HUNT'S GRAFTING WAXES RODENT REPELLENT, ETC. M. J. Beck Co., Box 7, Lansing 1, Mich.



Apple Harvest

HE great battle of the season is over and now we are witnessing the glorious rush for the spoils. We must admit that Mother Nature has been kind and gentle to our orchards once again. She has not spent her indomitable wrath upon them in a ruthless attempt to cheat man out of the rich rewards of his industry.

True, apple growers have had some hard knocks during the year, but none so severe as to condemn the "gods" for not showing them a little sympathy. It seems to do an apple grower's heart good to peer into the misty future and predict the worst that could happen to his coveted crop. But then, it never turns out quite that bad, so he ends the season in high spirits.

The trees gracing the gentle slopes and peaceful valleys scattered throughout the length and breadth of our land are now hanging fuller of rich healthful fruit than they were last year. For this we can be thankful. A good and bountiful harvest promotes a feeling of good will that pervades the minds of thoughtful people.

It is the harvest that captures our sight and imagination at this moment. For weeks the orchardist has been keeping a watchful eye upon his reddening and yellowing apples while at the same time casting wary glances skyward. A delayed hail storm could in a split second change joys and profits into sorrow and losses. The Old-Man-Of-the-Winds could easily touch the fairy breezes of the valley and transmute them into mighty roaring winds that would tear every apple from its bosom and dash them to the ground, torn, bruised and bleeding. These experiences are not unknown to the orchardist and the wise never discount them until the fruits are safely stored away.

To the old timers the apple harvest of our day has lost much of its charm and glory. They reminisce of the days when wagon-loads of apples trekked to the community cider mill, of the days when everybody in the community turned out to pick the apple crop and of the time when the apple barrel was in its pride and glory. In-



deed there was then a good bit of romance centered around the apple harvest that is lacking in our harvest

In those days apple growing was not centered in large concentrated areas as it is now. On the contrary, the millions of trees supplying the apples of American tables were growing on thousands of farms stretching over most of the northern two-thirds of the

Now we have a radically different scene for our apple harvest. The greatest panorama is observed in the valleys of the Pacific Northwest where over one-fourth of the entire crop is now being taken from the trees. A possible second in magnitude of harvest is the Shenandoah Valley and a third the Hudson Valley. Neither can we omit the long stretches of Michigan orchards along the western shore of Lake Michigan, the orchard dotted hills of New England, and the large commercial orchards of the mid-west, Pennsylvania, western New York and the Atlantic coast.

This change in the scene of harvesting has introduced some new characters that half a century ago played only a small part in the event. It brought itinerant workers to help salvage the crop because the industry had outgrown the supply of pickers in

the local area. When fruit growing took on the cast of "big business" it was forced to employ a kind of "factory worker" and to mechanize itself to the limit. Gone were the days when the local people could turn out and pick and pack the apple crop. Gone with those days were the romances of a group of people working together for a common interest. On to the stage came new devices to speed up picking and packing which was to displace some workers but to give jobs to the more skilled and mechanically minded.

This has been the picture on the screen of American history for the past several decades: the disappearance of small working groups of people, each interested in the other's affairs, and the rise of massive groups of people or small groups with powerful influences upon the conduct of society. Perhaps these methods of organization have been necessary for man to keep abreast of the fleeting progress of his mechanical genius. Sometimes we think maybe he has not kept up well enough.

An abundant apple harvest this year, is indeed an encouragement for tomorrow, for it is in the throes of continuous productivity that a democratic people find their greatest ma-

terial security.



FRUIT INDUSTRY

Served by

UNION PACIFIC


Your industry is one of hundreds served by Union Pacific. Every shipper is assured of efficient, dependable transportation when materials or merchandise are earmarked for the Strategic Middle Route, uniting the East with the Midwest, Intermountain, and Pacific Coast States.

Union Pacific provides specifically designed cars, various services and departments, to assure proper handling of a wide diversity of products.

Union Pacific's facilities and equipment are ready to meet the heaviest needs of commerce. Traffic experts are stationed from coast-to-coast. They will help you with that next shipment—and every shipment.

For dependable, fast freight service always . . .

be Specific say "Union Pacific"



k Union Pacific will gladly furnish confidential information regarding available industrial sites having trackage facilities in the territory it serves. Address Industrial Dept., Union Pacific Railroad, Omaha 3, Nebraska.

UNION PACIFIC RAILROAD

The Strategic Middle Route

IN WIND, RAIN, SNOW OR HAIL . YOUR FREIGHT GETS THERE BY RAIL!

OCTOBER, 1946


29

uit growing business" it ind of "fachanize itself e days when arn out and crop. Gone romances of any together. On to the co speed up ich was to out to give and mechan-

disappearups of peoother's afsive groups with powerduct of solods of orlessary for the fleeting cal genius.

arvest this gement for throes of at a demoeatest ma-

GROWER



Mechanical Progress

FEATURED at many summer grower meetings this year were demonstrations of new powerful equipment which graphically portrayed the forward strides now being made in the business of producing fruit commercially. Air-blast sprayers blowing mists of spray into trees, scientifically designed spray booms eliminating arm-tiring wielding of spray guns, dusting devices enveloping an orchard in a cloud of protective dust, machines which "fog-in" whole orchards, airplane dusting, new and more powerful insecticides—all show that from the production standpoint the fruit industry is forging ahead.

The American fruit grower is indeed blessed. By use of these devices, he can do a more efficient job with less back-breaking labor. Growers in France and England and other countries who do not have the mechanical equipment we have—who do not in most cases have a tractor—have not been able to reach the standard of living found among growers in the United States. They, in truth, are bound to the soil. Producing a crop of fruit, with no help from machinery, reduces the grower to the position of the age-old serfs of the soil.

With this in mind, it is important for the grower to take an affirmative view towards the new improvements now being offered. It is up to the grower to help in testing and perfecting new equipment under actual orchard conditions. At the same time, the manufacturer must continue to develop ways to reduce the cost of new machinery so its selling price is within reach of the grower's pocketbook.

If this is done we will continue to move ahead. In these terms is progress measured.

Refrigeration Research

IN THE THREE YEARS of its

existence, the Refrigeration Research Foundation proved to itself that scientific research is an essential part of successful business practice.

The Foundation tackles problems of the refrigeration industry from both the long range standpoint and short range research into immediate problems.

It makes funds available to established institutions for projects proposed by them or the industry. Operators who contribute to the Foundation cannot mention this support in any commercial connection.

The Foundation exists to save the money of the industry, and thus, of the consumer, by intelligent research into problems of the industry.

RFD Has 50th Birthday

THEY SAID it wouldn't work, and President Grover Cleveland said it was a "craze," but Congress finally appropriated \$10,000 in 1893 for experimental free delivery routes.

Today, the spiritual descendant of the Pony Express covers almost one and a half million miles a day, employing 32,000 carriers who serve 30 million Americans six days a week.

These carriers are really small post offices on wheels, furnishing the services of a regular post office such as money orders, stamps, parcel post and government bond sales. They are also called on by the U.S. Department of Agriculture to aid in statistical surveys—and the U.S. D.A. considers the information gathered most authentic.

They are having a golden jubilee—and we wish them a good celebration; they are deserving of the thanks of everyone who has lived "in the country" and depended on these men for mail service—often the only contact with the rest of the country for long periods of time.

Agricultural Research

THE GOVERNMENT has authorized the appropriation of nine and a half million dollars for agricultural research in the fiscal year of 1947, in the enactment of the Flannagan-Hope Act into Public Law 733

Agriculture now is better represented in the research picture of the national economy. Many improvements are needed in the handling of agricultural products to prevent waste and spoilage. This law makes it possible for the government to aid the grower in reducing loss of product and money due to lack of technical information.

It may be a generation before the effects of the bill are felt a great deal, but it is a sound move that has been needed for a long time.

A Judge's Standpoint

IT IS an accomplishment when a showman becomes a good sport—a good winner and a good loser. Unfortunately a judge must look for defects. This is no pleasanter for the judge than the exhibitor. A judge should know varieties and their variations and then have enough judgment to select the best fruit and not be lopsided in placing undue emphasis on minor defects. But in the end his judgment should be final.

Surely anyone who grows fine fruit ought to have the experience of exhibiting it at a show. It's a thrill and it's fun. Furthermore, what looks like unbeatable specimens at home may give one a surprise when they are set down beside the superior fruit grown by someone else.

Rules or standards are necessary for any competition and all exhibitors should know and understand them. Many a misunderstanding would be avoided if this were true. The judge must follow the score card.

In judging plates of fruit the condition of the fruit ranks higher in value than other individual points. This includes freedom from blemishes as well as stage of ripeness. Overripe or green fruit, water core, insect and disease markings, bruising, hail injury, physiological breakdown, limb rub, and russeting, are among the commonly occurring troubles.

Next, in most score cards, are color and uniformity, ranking equal in weight. The characteristic color for a given variety is desired. The under- as well as the over-color is considered. Difficulty has come in recent years with the introduction of red strains of many varieties of apples. If the premium list does not set up separate classes for them the red sports are at a distinct advantage. Too, color varies from state to state. Winesap may be striped and only partially colored or it may have a deep pinkish red of extraordinary beauty. Grimes Golden may be green or golden yellow, depending on where and how grown.

Uniformity is largely a matter of a good showman, selecting specimens that are as nearly alike in all particulars as he can. Color, shape, size, type, stems, markings, should be so nearly alike that they can scarcely be separated.

izir

Size and form often rate the same, making the total for the card 100. The size should be that desired for market and typical of the variety. Fruit that is too small or too large is scored down. Form should be typical.

The show game is intriguing—get in it.

oint

nent when a cood sport—a d loser. Unust look for santer for the cor. A judge and their variational fruit and not undue em-

But in the d be final.

Ows fine fruit rience of exs a thrill and what looks ens at home e when they he superior e else.

re necessary

I all exhibiunderstand
derstanding
s were true,
the score
ruit the con-

ruit the cons higher in dual points. from blemof ripeness. water core, ings, bruisgical breaksseting, are occurring

cards, are nking equal ristic color esired. The ver-color is as come in ntroduction varieties of st does not r them the nct advanfrom state be striped or it may extraordilen may be depending

matter of specimens in all parshape, size, ould be so an scarcely

e the same, card 100. desired for ne variety. too large ald be typi-

guing—get

GROWER



can be GOOD for Crops!

... when they are turned back into the soil by this method

It's the machine and the method that make the difference. For years men have destroyed weeds, little realizing the benefit that could be derived from them. Today soil experts proclaim the immense value of putting weeds back into the soil properly as plant food. The

method is important. The Rototiller power tiller does the job with the greatest speed, economy and efficiency. In one operation weeds are broken into tiny pieces and uniformly mixed throughout the pulverized soil, and soil thus fortified holds more moisture and produces bigger stands. Ask your Frazer Farm Equipment dealer about the many additional uses

for this power tiller, with attachments. Machine and attachments priced surprisingly low.

Power Tiller of a Hundred Uses

GRAHAM-PAIGE MOTORS CORPORATION

Farm Equipment Division • Willow Run, Michigan



Check here to Self Stark prize fruit trees, sirels in Spare or Full Time. Get our Wookly Cosh in-